GRACO

CONTRACTOR EQUIPMENT PRODUCT GUIDE

AUSTRALIA & NEW ZEALAND

Contact Phillro For all your Graco equipment

Ph: 1300 503 610 www.phillro.com.au

Phillro
INDUSTRIES P/L

INDEX

1. Glossary 2

2. Units: Specifications & Accessories.....5

Handheld Specifications.....6
Handheld Accessories 7
FinishPro HVLP Accessories 9
FinishPro HVLP Specifications 8
Fine Finish Specifications 11
Finishpro-Air-Assisted Airless Accessories.....12
Professional Airless Small Electrics Specifications.....13
Professional Airless Midsize Electrics Specifications.....14
Professional Airless Large Electrics Specifications.....15
Texture Specifications.....16
Texture Compressor-Hopper Specifications.....18
Gmax Specifications.....19
Texture Accessories.....21
Heavy Duty Specifications.....22
Professioanl Cleaning Specifications.....23
Professioanl Cleaning Accessories.....25
Pavement Standard Series Specifications.....26
Pavement E-PowerSeries Specifications.....28
Pavement LineDriver Specifications.....28
Linelazer Accessories.....29
FieldLazer Specifications.....30
FieldLazer Accessories.....30
GrindLazer Specifications.....31
Airless Accessories.....32

3. Tips 42

4. Warranty 47

5. Terms & Conditions.....48

6. Quick Reference Chart 50

7. Service Agents 56

GLOSSARY

ELECTRIC SPRAYERS

Standard Series: Everyday reliability for small residential and repainting contractors, ideal for painters operating multiple days of the week on smaller jobs.

ProContractor Series: Reliability and capacity to tackle medium to large projects, ideal for painting everyday with features to get you to the next jobsite faster.

Ironman Series: Beyond jobsite tough, for large Commercial applications when your painting in less-than–ideal conditions and spraying large volumes over long durations and require extreme durability and reliability.

Advantage Drive: Hardened steel gears provide extremely quiet operation and a lifetime warranty under normal working use.

Blue Link™: A Job & Sprayer Management System, combining the power of a mobile app with Bluetooth-enabled Graco sprayers. Once connected, BlueLink provides the critical, real-time jobsite and sprayer information painting contractors need to help streamline their business — including real-time jobsite access, instant maintenance alerts, on-demand productivity reports and much more!

Durable Endurance Pump: Available on Standard Series Sprayers, it is double the life of competing pumps. It can be repacked in minutes using the QuickPak™ Cartridge System and easy to clean with QuickAccess™.

EasyGlide™ Swivel: Available on Contractor, Contractor PC and Contractor PC Micro Guns, the exclusive dual-seat swivel action reduces sealing friction under pressure, allowing for effortless hose management.

Endurance Vortex™ MaxLife™ Pump Available on ProContractor Series Sprayers, it allows for high velocity flow to rotate rod for even wear extending the time between repacks by 6 times. Repacking can be done in minutes using the QuickPak™ Cartridge System.

Endurance Vortex™ MaxLife Extreme™ Pump Available on Ironman Series Sprayers, it is built using an exclusive abrasion-resistance composite extending the rod life by 3 times and providing the most durable and longest lasting pumps built in the industry. It uses high velocity flow to rotate rod for even wear extending the time between repacks by 6 times. Repacking can be done in minutes using the QuickPak™ Cartridge System.

E-Z Fit™: Available on Contractor PC Gun, this feature provides adjustable trigger length for comfortable 2-3-4 finger control.

Fast Flush™ 2.0: Cleans the pump 4 times faster with half the water by increasing the pump speed up to 50% during low pressure cleaning. This creates a high turbulent flow through the pump, hose and gun helping to break loose residual paint in less time.

ProConnect™: The easiest and fastest way to do an on the job gun rebuild; through clever design using a single gun cartridge to replace the needle and all wear parts, your gun can feel as new again in minutes with no tools required.

ProConnect ™ 2: Graco's exclusive ProConnect system allows quick removal or installation of your pump lower, with no tools required. The pump can easily be switched out in minutes right on the job site.

ProGuard™: Prevents electrical damage from extreme power conditions.

QuickAccess™: Intake foot valve providing easy access to the inlet ball to clear debris faster.

QuickPak™: No more loose o-rings and packing materials, the new Pump Cartridge Repair System provides modular pre-oiled cartridges that can be readily installed in minutes.

QuickReel™ An easy way to manage your hose without twisting, kinking or coiling. Deploy and rewind up to 90m of hose in seconds, what you don't need remains on the reel.

SmartControl™: Is an advanced microprocessor control ler that delivers a consistent spray fan at all spraying pressures. It automatically adjusts motor (pump) speed to best match the demand eliminating any pulsating (deadpan). In lower flow conditions the pump speed operates in slow stroking mode.

SmartControl 3.0: Controls the Sprayer to remove pressure fluctuations.

SmartControl 4.0: Controls the Sprayer to remove pressure fluctuations, it also includes both ProGuard™ and WatchDog™ to protect against power fluctuations and low material supply.

WatchDog™ Automatically shuts the sprayer off when the paint supply bucket is empty to prevent damage of running the pump dry.

LINELAZER

Standard Series: Suits a higher production re-striping Contractor, striping basic pattern applications using one colour, using a single or dual guns.

HP Automatic Series: Is ideal for high production Striping Contractors completing medium to large jobs with more complex patterns, such as parking lots and bike paths, that may require multi-gun and automatic systems. It includes the ability to automatically stripe skip lines through a quality solenoid-driven system.

HP Reflective Series: For High Production Reflective Striping Contractors focused on mostly larger striping jobs, including airports and city projects. Useful in applications that require a multi-gun, automatic system with pressurised beads.

EPower™: Electric striping solutions designed to deliver quiet, fume-free and vibration-free performance, with the power and performance for both indoor and outdoor jobs.

DualComfort Handlebar System: Allows the Handlebars to be readily adjustable to suit any operator.

EasyMark™ Gun Adjustment: Aligns the gun every time with an easy to use guide mark system.

EasyOut™ Pump Filter: For easy maintenance and less clogging.

EZ Align™ Wheel System: With no special tools necessary to keep your Front Wheels adjusted and tracking straight.

EZ Bead™ System: Ensures proper bead flow and paint penetration.

FlexBeam™LED Light System: For improved brightness, longer life and less Amperage on Graco LineDrivers. Its retractable, breakaway design prevents damage to keep you striping.

LiveLook™ Display with SmartControl™: Provides consistent spraying pressure for perfect lines, whilst tracking, measuring and controlling every aspect of the job.

J-Log™ System: Jobsite data can be readily downloadable onto a USB allowing you to capture and save all job data .

QuickSelect™ Gun Selector: Independently controls 2 guns with one lever for both solid and skip lines.

ProStart: Engine starter system, Linedriver HD. Up to 50% less pulling effort to start engine.

UNITS
SPECIFICATIONS & ACCESSORIES

HANDHELD SPECIFICATIONS

	ULTRA® AIRLESS HANDHELD AC	ULTRA® AIRLESS HANDHELD DC	ULTRAMAX AIRLESS HANDHELD DC
SPECIFICATIONS			
Part Numbers: EU - 230V	17M362	17N221	17N225
Max. Tip Size	0.016"	0.016"	0.016"
Motor	AC	DC	DC Brushless
Max. pressure - bar (PSI)	138 (2000)	138 (2000)	138 (2000)
Weight - kg (lbs)	2.1 (4.6)	2.4 (5.3)	2.4 (5.3)
FEATURES			
Material and Solvent compatibility	Waterbased	Waterbased	Water-Solvent
Repairable	■	■	■
SmartControl™	■	■	■
Speed Selector	ProControl™ II	ProControl™ II	ProControl™ II
Flow Control			
Suction system	Vacuum	Vacuum	Vacuum
Cup system	Throw-away	Throw-away	Throw-away
COMPOSITION			
Tips	514		210 + 514
Guard	RAC X™ -		RAC X™ - 17P573
Inlet filter (mesh)	60		60 + 100
Power supply	3m power cable	2 x 18V DEWALT® battery	
Battery charger		■	■
Cup + lid	1 L (1 cup, 1 lid)		
Cup liners	4		
Storage bag/case	Bag		

FOR TOUCH-UP APPLICATIONS

HANDHELD ACCESSORIES

	PART NUMBER	DESCRIPTION
	17A226	FLEXLINER BAGS 32OZ - 3 PACK
	17P212	FLEXLINER BAGS 32OZ - 25 PACK
	17F005	FLEXLINER BAGS 42OZ - 3 PACK
	17P549	FLEXLINER BAGS 42OZ - 25 PACK
	17P550	FLEXLINER CUP ASSEMBLY 32OZ - WATER
	17P551	FLEXLINER CUP ASSEMBLY 32OZ - SOLVENT
	17P552	FLEXLINER CUP ASSEMBLY 42OZ - WATER
	17P553	FLEXLINER CUP ASSEMBLY 42OZ - SOLVENT
	17N392	CUP SUPPORT 32OZ
	17D850	CUP SUPPORT 42OZ
	17N517	LID ASSEMBLY - SOLVENT
	17N515	LID ASSEMBLY WATER
	17M879	FLEXLINER LID PLUG - WATER
	17R611	FLEXLINER LID PLUG - SOLVENT
	17P712	VACVALVE CAP 3 PACK
	17P554	60 MESH TIP FILTER - 3 PACK
	17P555	100 MESH TIP FILTER - 3 PACK
	17P187	TRIAX REPLACEMENT PUMP FOR ULTRAMAX HANDHELD CORDLESS
	17P186	TRIAX REPLACEMENT PUMP FOR ULTRA HANDHELD CORDLESS
	17P185	TRIAX REPLACEMENT PUMP FOR ULTRA HANDHELD CORDED
	17P183	TRIAX OUTLET VALVE REPAIR KIT
	17M883	TOOL BAG
	17P098	PRIME VALUE
	17P174	FRONT VALUE KIT
	17P175	FRONT VALUE KIT - SOLVENT
	17P573	ULTRAMAX TIP GUARD
	246215	ULTRA TIP GUARD

FINISHPRO HVLP SPECIFICATIONS

	HVLP™ STANDARD 7.0	HVLP™ STANDARD 9.0	HVLP™ PROCONTRACTOR 7.0	HVLP™ PROCONTRACTOR 9.0	HVLP™ PROCONTRACTOR 9.5	HVLP™ PROCOMP 9.5
SPECIFICATIONS						
Part numbers	17R074	17R075	17R078	17R079	17R080	17R081
Turbine stages	3	5	3	5	5	5
Max. air working pressure - bar (PSI)	0.48 (7)	0.6 (9)	0.5 (7)	0.62 (9)	0.7 (9.5)	0.7 (9.5)
Weight - kg (lbs)	8.1 (18)	8.6 (19)	10.4 (23)	10.8(24)	11.7 (26)	13.6 (30)
FEATURES						
TurboForce™ II technology	■	■	■	■	■	■
SmartStart			■	■	■	■
TCS System	■	■	■	■	■	■
Quick release needle	■	■	■	■	■	■
Flex Liner™ System	■	■	■	■	■	Remote Cup
Air flow control at the gun	Preset ratio	Preset ratio	■	■	■	■
Material volume control at the gun	■	■	■	■	■	■
Spray fan size control at the gun	■	■	■	■	■	■
Needle nozzle storage			■	■	■	■
Air filtration	Foam	Foam	Automotive	Automotive	Automotive	Automotive
COMPOSITION						
Needle nozzle-kit	#3	#3	#3	#3, #4	#3, #4, #5	#3, #4, #5
Gun	EDGE® II	EDGE® II	EDGE® II Plus			EDGE® II Plus
Hose	Super-Flex™ Air 6M - 17R300	Super-Flex™ Air 6M - 17R300	Super-Flex™ Air 9M - 257159			Super-Flex™ Air 9M - 257159
Whip hose			Super-Flex™ Air 1.2M - 17R299			Super-Flex™ Air 1.2M - 17R299
Gun docking station			■			■

FINISHPRO HVLP ACCESSORIES

	PART NUMBER	DESCRIPTION
HVLP EDGE II GUN		
	17P481	EDGE II HVLP GUN & FLEXLINER WITH #3 NEEDLE/NOZZLE KIT
	17P483	EDGE II HVLP GUN & FLEXLINER WITH #3 NEEDLE/NOZZLE KIT AND ARTISAN AIR VALVE
	17P654	EDGE II HVLP PRO COMP GUN WITH #3 NEEDLE/NOZZLE KIT AND ARTISAN AIR VALVE
	17S192	EDGE II HVLP PRO COMP GUN ARTISAN AIR VALVE
QUICK- RELEASE FLUID SETS		
	17P485	NEEDLE/NOZZLE KIT #2 (0.8MM) EDGE GUN (ULTRA FINE FINISH)
	17P486	NEEDLE/NOZZLE KIT #3 (1.3MM) EDGE GUN (FINE FINISH)
	17P487	NEEDLE/NOZZLE KIT #4 (1.8MM) EDGE GUN (HIGHER OUTPUT ENAMEL)
	17P488	NEEDLE/NOZZLE KIT #5 (2.2MM) EDGE GUN (HIGHER OUTPUT)
	17P489	NEEDLE/NOZZLE KIT #6 (2.5MM) EDGE GUN (HIGHER OUTPUT)
	17P490	NEEDLE/NOZZLE KIT #7 (2.8MM) EDGE GUN (HIGHER OUTPUT HI SOLID)
HVLP CUP POTS AND LINERS		
	17A226	FLEXLINER BAGS 32OZ - 3 PACK
	17P212	FLEXLINER BAGS 32OZ - 25 PACK
	17R462	KIT CUP FLEXLINER HVLP ASSEMBLY (CUP, LID, LINER, CAP)
	17S115	CUP OVERKIT EDGE II
	17S116	CUP OVERKIT EDGE II PLUS
	244130	1 L SIPHON METAL POT WITH LID
	287819	1.9 COMPLETE CUP WITH LID AND 1.5 M MATERIAL AND AIR HOSE USE WITH PRO COMP UNIT
SUPER-FLEX HOSES AND FITTINGS		
	17R299	NEW SUPER-FLEX WHIP HOSE (1.2M)
	240476	BLACK MATERIAL PRESSURE HOSE - 3/8IN X 30FT (USE WITH REMOTE GUN)
	17T237	AIR & MATERIAL HOSE ASSEMBLY 1.5 REMOTE POT TO GUN (PRO-COMP ONLY)
	257159	SUPER-FLEX AIR HOSE (9M)
	17R300	KIT ACCESSORY HOSE AIR (6.1M)
	17R301	QUICK DISCONNECT BALL VALVE (AIR HOSE TO GUN)
	240488	AIR HOSE CLEAR -30FT (9M USE WITH PRO COMP ONLY)
	240282	QUICK DISCONNECT BALL VALVE (AIR HOSE TO SPRAYER)
FILTERS AND STRAINERS		
	17R296	TURBINE AIR FILTER - STANDARD
	17R298	TURBINE AIR FILTER - PROCONTRACTOR AND PRO COMP
	193218	STRAINER

MAINTENANCE AND REPAIR PARTS

17P709	EDGE HVLP GUN AIR CAP
256957	QUICK CLEAN CHECK VALVE (FULL ASSEMBLY)
256956	QUICK CLEAN CHECK VALVE REPAIR KIT (3PKT)
287820	CHECK VALVE KIT PRESSURE POT 3800 & 4900 PRO COMP UNITS
256959	PRESSURE POT SHOULDER STRAP
240265	1 L CUP GASKET
17S108	CUP AIR TUBE
17P708	HVLP EDGE II GUN FULL SEAL KIT
256960	HVLP EDGE II GUN PACKING REPAIR KIT
256954	HVLP DELUXE CLEANING KIT (INCLUDES BRUSHES AND PICKS)
256953	HVLP CLEANING BRUSH KIT

FINE FINISH SPECIFICATIONS

		FinishPro II	
	FF GX19	**395 PC**	**595 PC PRO**
SPECIFICATIONS			
Part numbers	17H223	17C321	17E915
Max. tip size: 1 gun	0.019"	0.023"	0.027"
Max. flow - l/min. (gpm)	1.4 (0.38)	2.0 (0.54)	2.6 (0.68)
Max. pressure - bar (PSI)	207 (3000)	227 (3300)	227 (3300)
Motor rating - kW (HP)		0.65 (0.875) TEFC Brush DC	1.04 (1.4) Brushless DC
Turbine / compressor l/min. (cfm)		2.0 (0.47)	2.7 (0.7)
Max. air working pressure - bar (PSI)		2.4 (35)	2.4 (35)
Weight - kg (lbs)	12.3 (26)	50 (110)	51 (112)
FEATURES			
BlueLink™			■
SmartControl™		1.0	3.0
Air pressure guage		■	■
FastFlush™			■
Endurance™ Pump		■	■
ProConnect™		■	■
ProXchange™	■		
SmartComp™		■	■
Hose Rack		■	■
COMPOSITION			
Tips	FFLP210	FFLP210 + LTX517 + AAM309	
Flat to RAC® conversion kit		■	
Gun filter (mesh)	Easy Out™ 100 - 287033	100 - 224453	
Pump filter (mesh)		Easy Out™ 100 - 246382	
Gun	FTx™- 288430	G40 - 262932	
Hose	3/16" x 7.5m - 214698	Super-Flex Fluid+ Air; Hose (15M) + Whip (2M) 24U579 Hose protector 24U577	Super-Flex™ Fluid + Air; Hose (15M)+ Whip (2M) 24U579; Hose protector 24U577
Whip hose			
Toolbox		■	
Tools	Built-In pump removal tool	■	

FINISHPRO - AIR-ASSISTED AIRLESS ACCESSORIES

GUN AND AIR HOSES

PART NUMBER	DESCRIPTION
262929	G40 AIR-ASSISTED AIRLESS GUN FINISHPRO 395 & 595
24U891	G40 AIR-ASSISTED AIRLESS GUN & HOSE KIT
24U578	25FT (7.6M) FLUID & AIR HOSE SET FINISHPRO 395 & 595
24U579	50FT (7.6M) FLUID & AIR HOSE SET FINISHPRO 395 & 595
278751	SUPER FLEX WHIP HOSE - AIR (6.6MM X 1.8M)
278750	SUPER FLEX WHIP HOSE - FLUID (3.2MM X 1.8M)
214698	BLUEMAX II HOSE 3/16"X25FT (4.76MM X 7.6M)
240794	BLUEMAX II HOSE 1/4"X50FT (6.4MM X 15M)
17Y051	CONTRACTOR PC AIRLESS GUN & HOSE KIT
24U577	50FT FLEX WRAP HOSE PROTECTOR

TIPS FILTERS AND STRAINERS



AAMXXX	FINE FINISH FLAT TIP (REFER TIP CHART FOR SELECTION P45)
FFLPXXX	FINE FINISH SWICH TIP (REFER TIP CHART FOR SELECTION P44)
AAFXXX	FINE FINISH PRE-ORIFFICE TIP (REFER TIP CHART FOR SELECTION P46)
224454	G40 GUN FILTER 60 MESH (5 PACK)
224453	G40 GUN FILTER 100 MESH (5 PACK)
287032	CONTRACTOR PC, CONTRACTOR AND FTX 60 MESH GUN FILTER (BLACK)
287033	CONTRACTOR PC, CONTRACTOR AND FTX 100 MESH GUN FILTER (BLUE)
246384	EASY OUT MANIFOLD FILTER 60 MESH (BLACK)
246382	EASY OUT MANIFOLD FILTER 100 MESH (BLUE)
246385	PUMP INLET STRAINER
127465	INLINE DESSICANT FILTER
24U981	INLINE DESSICANT FILTER - 5 PACK
24U982	INLINE DESSICANT FILTER - 25 PACK
241804	FLAT TIP FILTER (150 MESH BLUE 10 PKT)
183616	TIP SEAL FOR LARGER AAM TIP OR WHEN REMOVING BLUE FILTER

G40 AIR CAPS (GUARDS)

288839	G40 RAC X AIR CAP (GUARD) ASSEMBLY
249256	G40 FLAT TIP AIR CAP (GUARD) ASSEMBLY
15J770	G40 RAC X AIR CAP (GUARD) CYLINDER HOUSING

MAINTENANCE AND REPAIR PARTS

17H171	HOPPER ASSEMBLY 5.7 L FINISH PRO 395 & 595
288514	CONVERSION KIT G40 RAC X TO FLAT TIP
24U616	CONVERSION KIT FLAT TIP TO RAC X
17C488	REPLACEMENT PUMP FOR USE ON FINISHPRO II 395PC & 595PC
17C720	REPLACEMENT PUMP FOR USE ON FINISHPRO II 395 & 595
24Y472	PROXCHANGE REPAIR KIT GX19 FINISHPRO
18B260	PUMP SEAL KIT FINISHPRO 395 & 595
17V093	CYLINDER O-RING

PROFESSIONAL AIRLESS SMALL ELECTRICS SPECIFICATIONS

	GX 21	190 PC Express	390 PC	395 PC PRO
SPECIFICATIONS				
Part numbers	17H219	Stand 17C384	Stand 17C386 Lo-Boy 17C387 Hi-Boy 17C388	Stand 17E881
Max. tip size	0.021"	0.019"	0.021"	0.023"
Max. flow - l/min (gpm)	1.8 (0.47)	1.8 (0.47)	1.8 (0.47)	2.0 (0.52)
Max. pressure - bar (PSI)	207 (3000)	207 (3000)	227 (3300)	227 (3300)
Weight - kg (lbs)	13.2 (29)	14 (30)	14 (30)	19 (41)
Motor HP		5/8 DC	5/8 DC	5/8 TEFC DC
FEATURES				
Frame	Direct Immersion			
Hopper	Suction Tube			
Ball Knocker - PushPrime™ Button	■			
Hydraulic Pressure Gauge	■			
Digital Display				■
ProXChange™ Pump System	■			
Pump		Endurance Piston		
ProConnect™		■	■	■
Control		Electronic		SmartControl 1.0
COMPOSITION				
Tips	RAC 5 517	RAC X LTX 515	RAC X LTX 515	RAC X LTX 517 - LP 315
Guard	RAC 5™ - 243161	RAC X™ - 246215		
Gun filter (mesh)	Easy Out™ 60 - 288749			
Gun	SG3	SG3	FTx	Contractor PC
Pump filter (mesh)	40 - 288747			
Hose	1/4" x 15m - 247340	Blue Max II Airless 6.4 mm x 15 m (1/4 in x 50 ft)		

PROFESSIONAL AIRLESS MIDSIZE ELECTRICS SPECIFICATIONS

	Ultra Max II			
	490 PC PRO	495 PC PRO	595 PC PRO	650 PC PRO
Part Numbers	Stand 17E887	Stand 17E889 Lo-Boy 17E891 Hi-Boy 17E892	Lo-Boy 17E897 Hi-Boy 17E896	Lo-Boy 26C979 Hi-Boy 19Y424
Maximum Tip Size	0.023	0.025	0.027	0.029
Maximum bar (psi)	227 (3300)	227 (3300)	227 (3300)	227 (3300)
Maximum (lpm)	2.0	2.3	2.6	3.0
Motor hp	1.0	1.2	1.6	1.8
Weight (kg)	15 Stand	15 Stand	33 Hi-Boy	34 Hi-Boy
FEATURES				
Pump	Endurance Piston	Endurance Piston	Endurance Piston	Endurance Piston
ProConnect	■	■	■	■
Hydraulic Gauge	■	■	■	
Digital Display				■
BlueLink System	■	■	■	
Control	SmartControl 3.0	SmartControl 3.0	SmartControl 3.0	SmartControl 3.0
Motor	MaxPower Brushless	MaxPower Brushless	MaxPower Brushless	MaxPower Brushless
COMPOSITION				
Gun	Contractor PC	Contractor PC	Contractor PC	Contractor PC
Hose	6.4 mm x 15 m (1/4 in x 50 ft) Blue Max II Airless	6.4 mm x 15 m (1/4 in x 50 ft) Blue Max II Airless	6.4 mm x 15 m (1/4 in x 50 ft) Blue Max II Airless	6.4 mm x 15 m (1/4 in x 50 ft) Blue Max II Airless
Tip	RAC X LTX 517 - LP 315			

PROFESSIONAL AIRLESS LARGE ELECTRICS SPECIFICATIONS

Ultra Max II

	695 STANDARD	795 STANDARD	1095 STANDARD	695 PC PRO	795 PC PRO	1095 PC PRO	1095 IRONMAN
SPECIFICATIONS							
Part Numbers	Lo-Boy 17E610 Hi-Boy 17E613	Lo-Boy 17E616 Hi-Boy 17E617	17E620	17E614	17E619	17E621	17E623
Maximum Tip Size	0.031	0.033	0.035	0.031	0.033	0.035	0.035
Maximum bar (psi)	227 (3300)	227 (3300)	227 (3300)	227 (3300)	227 (3300)	227 (3300)	227 (3300)
Maximum (lpm)	3.6	4.1	4.5	3.6	4.1	4.5	4.5
Motor hp	2.0	2.2	2.4	2.0	2.2	2.4	2.4
Weight (kg)	43	44	55	50	52	64	56
FEATURES							
Pump	Endurance Pump	Endurance Pump	Endurance Pump	Vortex Maxlife	Vortex Maxlife	Vortex Maxlife	Vortex Maxlife Extreme
ProConnect 2				■	■	■	■
BlueLink System	■	■	■	■	■	■	■
Control	SmartControl 4.0	SmartControl 4.0	SmartControl 4.0	SmartControl 4.0	SmartControl 4.0	SmartControl 4.0	SmartControl 4.0
Motor	MaxPower Brushless	MaxPower Brushless	MaxPower Brushless	MaxPower Brushless	MaxPower Brushless	MaxPower Brushless	MaxPower Brushless
COMPOSITION							
Gun	Contractor PC	Contractor PC	Contractor PC	Contractor PC	Contractor PC	Contractor PC	Contractor PC
Hose	Blue Max II 1/4 x 15m	Blue Max II 1/4 x 15m	Blue Max II 1/4 x 15m	Blue Max II 1/4 x 15m	Blue Max II 1/4 x 15m	Blue Max II 1/4 x 15m	Blue Max II 1/4 x 15m
Tip	RAC X LTX 517 LP 315	RAC X LTX 517 LP 315	RAC X LTX 517 LP 315	RAC X LTX 517 LP 315	RAC X LTX 517 LP 315	RAC X LTX 517 LP 315	RAC X LTX 517 LP 315

TEXTURE SPECIFICATIONS

	MARK V STD	MARK V PRO	MARK V IRONMAN	TEXSPRAY 5900 HD STANDARD	TEXSPRAY 7900 HD STANDARD
SPECIFICATIONS					
Part numbers	17E657	17E663	17E629	17E839	17E841
Max. tip size	Paint 0.035"	Paint 0.035"	Paint 0.035"	0.043"	0.047"
Max. flow - l/min (gpm)	5.1 (1.35)	5.1 (1.35)	5.1 (1.35)	6.0 (1.6)	8.3 (2.2)
Max. pressure - bar (PSI)	227 (3300)	227 (3300)	227 (3300)	227 (3300)	227 (3300)
Motor rating - kW - (HP)	2.1 (2.8)	2.1 (2.8)	2.1 (2.8)	6.5 HP Honda	6.5 HP Honda
Weight - kg (lbs)	57 (125)	64 (141)	59 (129)	64 (141)	67 (146)
FEATURES					
BlueLink™	■	■	■		
SmartControl™ with ProGuard™	4.0	4.0	4.0	3.0	3.0
Hydraulic Pressure Gauge	■	■	■	■	■
LED Display		■	■		
FastFlush 2™	■	■	■		
Watchdog™		■	■		
Endurance™ Pump	■	■	■	■	■
ProConnect™		■	■	■	■
Piston Rod	Chromex	MaxLife w/Vortex	MaxLife Extreme w/Vortex	Chromex	MaxLife
Sleeve	Hardened SST	MaxLife			
MaxFlo 2	■	■	■	■	■
Rock Catcher	Std	Crush proof		Standard	
TiltBack™	■	■	■	■	■
QuickReel™		■			
Flat-Proof Tires			■		
COMPOSITION					
Tips	RAC X 427 + 531			LTX 517	
Guard	RAC X™ - 246215			RAC X™ - 246215	
Gun	HD Blue Texture - 289605			HD Blue Texture - 289605	
Hose	Blue Max™ II 3/8" x 15m			BlueMax™ II 1/4" x 15m - 240797	
Whip hose	Blue Max™ II 1/4" x 0.9m			(BlueMax™ II 1/4" X 0.9 M - 241735)	
Tools	■			■	

	TEXSPRAY 5900 HD PRO	TEXSPRAY 7900 HD PRO	TEXSPRAY 7900 HD IRONMAN
SPECIFICATIONS			
Part numbers	17E840	17E842	17E843
Max. tip size	0.042"	0.048"	0.047"
Max. flow - l/min (gpm)	6.0 (1.6)	6.0 (1.6)	8.3 (2.2)
Max. pressure - bar (PSI)	227 (3300)	227 (3300)	227 (3300)
Motor rating - kW - (HP)	6.5 HP Honda	6.5 HP Honda	6.5 HP Honda
Weight - kg (lbs)	70 (155)	74 (161)	67 (146)
FEATURES			
SmartControl™ with ProGuard™	3.0	3.0	3.0
Hydraulic Pressure Gauge	■	■	
LED Display	■	■	■
FastFlush 2™			
Watchdog™	■	■	■
Endurance™ Pump	■	■	■
ProConnect™	■	■	■
Piston Rod	MaxLife w/Vortex	MaxLife w/Vortex	MaxLife Extreme w/Vortex
Sleeve	MaxLife		
MaxFlo 2	■	■	■
Rock Catcher	Crush proof		
TiltBack™	■	■	
QuickReel™	■	■	
Flat-Proof Tires			■
COMPOSITION			
Tips	RAC X LTX 517		
Guard	RAC X™ - 246215		
Gun	HD Blue Texture - 289605		
Hose	Blue Max™ II 3/8" x 15m		
Whip hose	Blue Max™ II 1/4" x 0.9m		
Tools	■		

TEXTURE COMPRESSOR-HOPPER SPECIFICATIONS

	COMPRESSOR	FASTFINISH STANDARD (PRO)	HOPPER GUN	G-TEX HOPPER GUN	RTX™ 5500 PX
SPECIFICATIONS					
Part numbers	25D491	25D495 (Standard version) 25D493 (Pro version)	25D496	25D497	17K680
Compressor l/min	255	255	-	-	21
Max. air working pressure - bar (PSI)	Preset 2.75 (40)	Preset 2.75 (40)	-	-	7 (100)
Weight - kg (lbs)	33.5 (74)	35.18 (78.8)	2.18 (4.8)	1.85 (4.1)	78.9 (174)
FEATURES					
Pressure Boosted Hopper Gun		Pro version	■		
Hopper		7.5 L (Standard version) 5.5L (Pro version)	5.5L	7.5L	57L
Pressure/Flow dial		Pro version	■		■
Flat-Proof Tires	■	■			
COMPOSITION					
Nozzles		4mm, 6mm, 8mm	4mm, 6mm, 8mm	4mm, 6mm, 8mm	3mm, 4mm, 8mm, 10mm, 12mm
Air orifice		2mm, 2.5mm, 3mm	2mm, 2.5mm, 3mm	2mm, 2.5mm, 3mm	
Gun		G-TEX Gravity-Fed - 25D497 (Standard version) FastFinish Pressure-Boosted - 25D496 (Pro version)	FastFinish Pressure-Boosted - 25D496	G-TEX Gravity-Fed - 25D497	Air Sray Trigger gun - 24S135
Hose Kit	Air 3/8" x 15m - 17U302				Air and Fluid 32mm x 7.5m - 17L005

GMAX SPECIFICATIONS

	GMAX™ II STANDARD			
	3400	3900	5900	7900
SPECIFICATIONS				
Part Numbers	17E825	Lo-Boy 17E826 Hi-Boy 17E827	Lo-Boy 17E829 Hi Boy 17E831	17E836
Max. tip size: 1 gun	0.027"	0.036"	0.043"	0.047"
Max. tip size: 2 guns	-	0.023"	0.029"	0.035"
Max. flow - l/min. (gpm)*	2.8 (.74)	4.7 (1.25)	6.0 (1.6)	8.3 (2.2)
Max. pressure - bar (PSI)	227 (3300)	227 (3300)	227 (3300)	227 (3300)
Engine displacement cm³	120	120	200	200
Weight - kg (lbs)	41 (90)	50 (109)	64 (139)	67 (146)
FEATURES				
SmartControl™	3.0	3.0	3.0	3.0
LED display				
Hydraulic Pressure Gauge	■	■	■	■
Endurance™ Pump	■	■	■	■
Pump type	Paint	Paint	Paint	Paint
ProConnect 2				
Piston rod	Chromex	Chromex	Chromex (Hard Chrome)	MaxLife™
Sleeve	Hard Chrome	Hard Chrome	Hard Chrome	MaxLife™
MaxFlo 2				
Rock Catcher	Standard	Standard	Standard	Standard
TiltBack™		■	■	■
COMPOSITION				
Tips	LTX 517			
Guard	RAC X™ - 246215			
Gun	Contractor™ PC - 17Y043			
Gun Filter (mesh)		Easy Out™ 60 - 287032		
Hose	Blue Max™ II 1/4" x 15m - 240794		BlueMax™ II 1/4" x 15m - 240797	
Whip hose	(BlueMax™ II 1/4" X 0.9 M - 241735)			
Tools	■			

	GMAX™ II PROCONTRACTOR			GMAX™ II IRONMAN	
	3900	5900	7900	5900	7900
SPECIFICATIONS					
Part Numbers	17E828	17E832	17E837	17E833	17E838
Max. tip size: 1 gun	0.036"	0.043"	0.048"	0.043"	0.047"
Max. tip size: 2 guns	0.023"	0.029"	0.035"	0.029"	0.035"
Max. flow - l/min. (gpm)*	4.7 (1.25)	6.0 (1.6)	8.3 (2.2)	6.0 (1.6)	8.3 (2.2)
Max. pressure - bar (PSI)	227 (3300)	227 (3300)	227 (3300)	227 (3300)	227 (3300)
Engine displacement cm³	120	200	200	200	200
Weight - kg (lbs)	57 (125)	70 (155)	74 (161)	64 (139)	67 (146)
FEATURES					
SmartControl™	3.0	3.0	3.0	3.0	3.0
LED display	■	■	■	■	■
Hydraulic Pressure Gauge		■	■		
Endurance™ Pump	Vortex Maxlife	Vortex Maxlife	Vortex Maxlife	Vortex Maxlife Extreme	Vortex Maxlife Extreme
Pump type	Paint	Paint (HD Texture)	Paint (HD Texture)	Paint	Paint (HD Texture)
ProConnect 2	■	■	■	■	■
Piston rod	MaxLife™	MaxLife™	MaxLife™	MaxLife Extreme™	MaxLife Extreme™
Sleeve	MaxLife™	MaxLife™	MaxLife™	MaxLife™	MaxLife™
MaxFlo 2				■	
Rock Catcher	CrushProof	CrushProof	CrushProof	CrushProof	CrushProof
TiltBack™	■	■	■		
QuickReel™	■	■	■	■	■
Flat-Proof Tires				■	■
COMPOSITION					
Tips	LTX517				
Guard	RAC X™ - 246215				
Gun	Contractor™ PC - 17Y043				
Gun Filter (mesh)	Easy Out™ 60 - 287032				
Hose	BlueMax™ II 1/4" x 15m 240794				
Whip hose	(BlueMax™ II 1/4" X 0.9m - 241735)				
Tools	■				

TEXTURE ACCESSORIES

	PART NUMBER	DESCRIPTION
GUNS		
	241338	HD BLUE TEXTURE GUN WITH RAC X GUARD AND 531 TIP
	245820	HD INLINE TEXTURE GUN
	245924	HOPPER GUN COMPLETE (5.5 L CAPACITY)
	24S135	RTX5500 AIR SPRAY TRIGGER GUN
	24S142	WIDETEX KIT RTX & GTX GUN
	24S143	WIDETEX KIT, HARDENED, RTX & GTX GUN
	25D497	G-TEX GRAVITY-FED GUN
	25D496	FASTFINISH PRESSURE-BOOSTED GUN
NOZZLES		
	234153	TEXSPRAY AIR NOZZLES KIT (WHITE 6MM/GRAY 8 MM, BLACK 12 MM)
	234538	TEXSPRAY NOZZLE-FINE-BEIGE
	234277	TEXSPRAY NOZZLE-SMALL-WHITE
	234278	TEXSPRAY NOZZLE-MEDIUM-GRAY
	234279	TEXSPRAY NOZZLE-LARGE-BLACK
	15C883	3MM RTX & GTX ROUND AIR NOZZLE
	15C884	4MM RTX & GTX ROUND AIR NOZZLE
	15C885	6MM RTX & GTX ROUND AIR NOZZLE
	15C886	8MM RTX & GTX ROUND AIR NOZZLE
	15C887	10MM RTX & GTX ROUND AIR NOZZLE
	15C888	12MM RTX & GTX ROUND AIR NOZZLE
	17V694	NOZZLE KIT (4mm, 6mm, 8mm FAST FINISH GUN)
	17Z185	AIR ASSISTED NOZZLES AND HOSE KIT FOR LANCE
HOSES		
	17J420	TRANSLUCENT HOSE KIT 1" X 7,5M
	17J421	TRANSLUCENT HOSE KIT 1" X 15M
	17J454	TRANSLUCENT HOSE KIT 3/4" X 7,5M
	17L000	HD HOSE KIT 1" X 7,5M
	17L003	HD HOSE KIT 1" X 15M
	17L005	HD HOSE KIT 1-1/4" X 7,5M
	17L009	HD HOSE KIT 1-1/4" X 15M
	17L010	HD WHIP HOSE 1" X 3M
	26A563	AIR HOSE 3/8" X 15M
	17L004	HOSE STD RTX 5500 PX
	17L005	HOSE HD RTX 5500 PX
	287314	ROTOFLEX PUMP HOSE RTX 1500
OTHER		
	25D491	FASTFINISH COMPRESSOR, 230V
	248515	CLEANING SPONGE BALLS 1' X 5
	17V692	WIDETEX KIT

HEAVY DUTY SPECIFICATIONS

	GAS HYDRAULIC (GH)						
	GH130	GH200 STANDARD	GH200 PROCONTRACTOR	GH230 STANDARD	GH230 PROCONTRACTOR	GH300 STANDARD	GH300 PROCONTRACTOR
SPECIFICATIONS							
Part Numbers	24W923	24W925	24W927	24W929	24W932	24W935	24W936
Max Pressure - bar (PSI)	227 (3300)	227 (3300)	227 (3300)	227 (3300)	227 (3300)	227 (3300)	227 (3300)
Max. flow - l/min (gpm)	4.9	8.1	8.1	8.9	8.9	11.3	11.3
Motor	Petrol	Petrol	Petrol	Petrol	Petrol	Petrol	Petrol
Motor Rating - HP	4.0	5.5	5.5	6.5	6.5	9.0	9.0
Weight - kg	70	85	83	76	88	88	101
FEATURES							
Endurance Pump	■	■	■	■	■	■	■
Hydraulic Driven Pump	■	■	■	■	■	■	■
Hose Rack	■	■	■	■	■	■	■
Convertible (electric-petrol)	■	■	■	■	■		
ProConnect			■		■		■
COMPOSITION							
Tips	LTX517						
Gun	Contractor II Gun - 288420			Silver Plus Gun - 246240			
Hose	BlueMax II 6.4mm x 15m - 240797		BlueMax II 6.4mm x 30m	BlueMax II 9.5mm x 15m			BlueMax II 9.5mm x 30m
Tools	■						

PROFESSIONAL CLEANING SPECIFICATIONS

	G-FORCE™ II			
	3325 HA-DD	3230 HA-DD	4040 HG-DD	4040 HC-DD
SPECIFICATIONS				
Part Numbers	25N638	25N639	25N681	25N682
Max Pressure - bar (PSI)	227 (3300)	220 (3200)	275 (4000)	275 (4000)
Max. flow - l/min (gpm)	9.46 (2.5)	11.36 (3)	15.14 (4)	15.14 (4)
Engine displacement - cm³	200	270	390	390
Pump	AR Brass Triplex	AR Brass Triplex	GP Brass Triplex	CAT Brass Triplex
Weight - kg (lbs)	30.4 (67)	37.2 (82)	58.5 (129)	60.3 (133)
FEATURES				
Gardena® Connection	■	■	■	■
Chemical injector	Integrated	Integrated	■	■
Direct Driven	■	■	■	■
Belt Driven				
Adjustable Unloader	Integrated	Integrated	External	External
Easy Start Pressure Relief	■	■	■	■
Light Weight Aluminium Frame	■	■	■	■
Thermo-sensor	■	■	■	■
Cold Water	■	■	■	■
COMPOSITION				
Tips	0° - 805591 15° - 805592 25° - 805593 chemical tip - 805634	0° - 805539 15° - 805540 25° - 805541 chemical tip - 805634	0° - 805543 15° - 805544 25° - 805545 40° - 805546 chemical tip - 805634	
Gun	90cm + QDs - 244784		90cm + QDs - 244784	
Filter (mesh)	50		50	
Hose	15m + QDs - 244783		15m + QDs - 244783	
Engine oil	■		■	

PROFESSIONAL CLEANING SPECIFICATIONS

	G-FORCE™ II			
	4040 HG-BD	4040 HC-BD	4240 KA-DD	4240 HA-DD
SPECIFICATIONS				
Part Numbers	25N683	25N684	25N640	25N641
Max Pressure - bar (PSI)	275 (4000)	275 (4000)	290 (4200)	290 (4200)
Max. flow - l/min (gpm)	15.14 (4)	15.14 (4)	15 (4)	15 (4)
Engine displacement - cm³	390	390	429	390
Pump	GP Brass Triplex	CAT Brass Triplex	AR Triplex Plunger	AR Triplex Plunger
Weight - kg (lbs)	72.1 (159)	71.6 (158)	47 (104)	46 (102)
FEATURES				
Gardena® Connection	■	■	■	■
Chemical injector	■	■	■	■
Direct Driven			■	■
Belt Driven	■	■		
Adjustable Unloader	External	External	Integrated	External
Easy Start Pressure Relief	■	■	■	■
Light Weight Aluminium Frame	■	■	■	■
Thermo-sensor	■	■	■	■
Cold Water	■	■	■	■
COMPOSITION				
Tips	0° - 805543 15° - 805544 25° - 805545 40° - 805546 chemical tip - 805634		0° - 805543 15° - 805544 25° - 805545 40° - 805546 chemical tip - 805634	
Gun	90cm + QDs - 244784		90cm + QDs - 244784	
Filter (mesh)	50		50	
Hose	15m + QDs - 244783		15m + QDs - 244783	
Engine oil	■		■	

PROFESSIONAL CLEANING ACCESSORIES

PAVEMENT STANDARD SERIES SPECIFICATIONS

	LINELAZER 3400	LINELAZER 130HS	LINELAZER V 3900
SPECIFICATIONS			
Part Number – 1 mech gun	25M224	17H447	17H449
Part Number – 2 mech guns	-	17H448	17H450
Max. Tip Size – 1 gun	0.027"	0.037"	0.035"
Max. Tip Size – 2 guns	-	0.029"	0.025"
Max Flow – l/min. (gpm)	2.8 (0.75)	4.9 (1.3)	4.7 (1.25)
Max. Pressure – bar (PSI)	227 (3300)	227 (3300)	227 (3300)
Motor Rating – cm^3	120	120	120
Weight – kg (lbs)	72.5 (160)	119 (263)	104 (230)
FEATURES			
Endurance Pump	Mechanical	Hydraulic	Mechanical
AVRS		■	■
EZ Align System		■	■
EasyMark System	■	■	■
LiveLook Display			■
DualComfort Handle Bar System		■	■
Quick Select Gun Selector		Manual	Manual
Rear-gun Mounted		■	■
LineDriver*		Optional	Optional
COMPOSITION			
Tips	LL5317	LL5319	LL5319
	LL5319	LL5321	LL5321
Guard	RAC V (243161)	RAC V (243161)	RAC V (243161)
Gun	Flex Plus gun (248157)	Flex Plus gun (248157)	Flex Plus gun (248157)
Hose	Hose 1/4" x 15 m (249080)	Hose 3/8" x 6.7 m (124884)	Hose 3/8" x 15 m (245225)
Pump Filter	60 mesh (243984)	50 mesh (24V455)	50 mesh (24V455)
TSL	118 ml (238049)	118 ml (238049)	118 ml (238049)

Note: For a full comprehensive Graco linelazer product offering visit us at graco.com or contact your local Graco Sales representative

PAVEMENT STANDARD SERIES SPECIFICATIONS

	LINELAZER V 5900	LINELAZER V 200HS
SPECIFICATIONS		
Part Number – 1 mech gun	17H454	17H459
Part Number – 2 mech guns	17H455	17H461
Max. Tip Size – 1 gun	0.043"	0.047"
Max. Tip Size – 2 guns	0.029"	0.033"
Max Flow – l/min. (gpm)	6.0 (1.6)	8.14 (2.15)
Max. Pressure – bar (PSI)	227 (3300)	227 (3300)
Motor Rating – cm^3	160	200
Weight – kg (lbs)	113 (250)	139 (306)
FEATURES		
Endurance Pump	Mechanical	Hydraulic
AVRS	■	■
EZ Align System	■	■
EasyMark System	■	■
LiveLook Display	■	■
DualComfort Handle Bar System	■	■
Quick Select Gun Selector	Manual	Manual
Rear-gun Mounted	■	■
LineDriver*	Optional	Optional
COMPOSITION		
Tips	LL5319	LL5319
	LL5321	LL5321
Guard	RAC V (243161)	RAC V (243161)
Gun	Flex Plus gun (248157)	Flex Plus gun (248157)
Hose	Hose 3/8" x 15 m (245225)	Hose 3/8" x 6.7 m (124884)
Pump Filter	50 mesh (24V455)	50 mesh (24V455)
TSL	118 ml (238049)	118 ml (238049)

Note: For a full comprehensive Graco linelazer product offering visit us at graco.com or contact your local Graco Sales representative

PAVEMENT E-POWER SERIES SPECIFICATIONS

	LINELAZER ES 1000	LINELAZER ES 2000
SPECIFICATIONS		
Part Number – 1 gun	25M228	
Part Number – 2 guns		25N561
Max. Tip Size – 1 gun	0.025"	0.033"
Max. Tip Size – 2 guns		0.025"
Max. Flow – l/min. (gpm)	2.3 (0.6)	4.1 (1.1)
Max. Pressure – bar (PSI)	227 (3300)	227 (3300)
Battery Power – Volt (Ah)	12V (100Ah Deep-Cycle AGM)	2x12V (100Ah Deep-Cycle AGM)
Weight – kg (lbs)	154 (340)	195 (430)
FEATURES		
LiveLook Display		■
SmartControl™	■	■
FastFlush™	■	
Endurance™ Pump	Mechanical	Mechanical
Hydraulic pressure gauge	■	
EZ Align™ System	■	■
EasyMark System	■	■
DualComfort™ Handle bar system	■	■
QuickSelect™ Gun Selector	Manual	Manual
Rear-gun Mounted	■	■
LineDriver*	Optional	Optional
ProConnect		
COMPOSITION		
Tips	LL5317	LL5319
	LL5319	LL5421
Guard	RAC V (243161)	RAC V (243161)
Gun	Flex Plus™ (248157)	Flex Plus™ (248157)
Hose	BlueMax™ II 1/4" x 15 m (249080)	BlueMax™ II 1/4" x 15 m (249080)
Pump Filter – mesh	60 (243984)	60 (243984)
Power Supply	1 x 12V - 100Ah battery with 230V inverter	2 x 12V - 100Ah battery with 230V inverter
TSL	118 ml (238049)	118 ml (238049)

LINEDRIVER SPECIFICATIONS

	Part Number	Motor Engine cc (hp)	Weight kg (lb)
LineDriver HD 200	262005	200 cc	125 (277)
LineDriver ES	25N556	4x6V DEEP CYCLE AGM 225 AH	250 (550)

*To be used on LineLazer, ThermoLazer, GrindLazer

Note: For a full comprehensive Graco linelazer product offering visit us at graco.com or contact your local Graco Sales representative

LINELAZER ACCESSORIES

	PART NUMBER	DESCRIPTION
GRAVITY BEAD SYSTEM		
	24N265	30 CM EZ BEAD DISPENSER KIT (LINELAZER ES, IV & V)
	24Z727	30 CM EZ BEAD DISPENSER KIT (LINELAZER 3400)
	277065	15 CM (x1) EZ BEAD DISPENSER KIT (LINELAZER ES, IV, V)
	24Z726	15 CM EZ BEAD DISPENSER KIT (LINELAZER 3400)
	277064	15 CM (x2) EZ BEAD DISPENSER KIT (LINELAZER IV & V)
	277067	15 CM EZ BEAD DISPENSER WITH HOSE AND WIND DEFLECTOR (LINELAZER ES, IV & V)
	245516	30 CM EZ BEAD DISPENSER WITH HOSE AND WIND DEFLECTOR (LINELAZER ES, IV & V)
	277066	EZ BEAD WIND DEFLECTORS ALUMINUM - 15 CM (x6)
	245520	WIND DEFLECTOR 3x/PACK (30 CM)
LINELAZER POINTERS		
	277062	SHORT POINTER GUIDE 60 CM
	277063	LONG POINTER GUIDE 100 CM
	25A620	RETRACTABLE POINTER 100 CM (LINELAZER V 130/3900/5900/200, ES)
	24Y511	5-PACK HOSE REPLACEMENT FOR 25A620 RETRACTABLE POINTER
	17P782	LAZERGUIDE 1700, GREEN DOT, WITHOUT BATTERY KIT (LINELAZER ES)
PAINT HOPPERS		
	17P444	HOPPER 55 L (LINELAZER ES, 3400)
	241104	HOPPER 55 L (LINELAZER IV 130/3900/5900/200)
	25N710	HOPPER 55 L (LINELAZER V ES 2000)
GUN AND HOSE KITS		
	248157	FLEXPLUS STRIPING GUN WITH LL5 319 TIP
	240797	LINELAZER HOSE WITH E-NICKEL FITTINGS. 3/8" X 15 M 3300 PSI
	245798	LINELAZER HOSE WITH E-NICKEL FITTINGS. 1/4" X 2 M 3300 PSI (2ND GUN HOSE)
	240794	COUPLED HOSE, 1/4" X 15 M (LINELAZER ES, 3400)
	124884	LINELAZER HOSE WITH E-NICKEL FITTINGS, 3/8" X 6.7 M - 3300 PSI (LINELAZER IV & V 130HS, 200HS, 250MMA 98:2)
PAINT GUNS KITS	25A676	COMPLETE KIT FOR ADDING 2ND MECHANICAL GUN (LINELAZER 130HS)
	25A491	COMPLETE KIT FOR ADDING 2ND MECHANICAL GUN (LINELAZER V 3900/5900/200, ES)
LINEDRIVER	245321	HITCH KIT FOR LINEDRIVER
	249083	TURF WHEEL KIT LINEDRIVER
	245343	BATTERY KIT FOR LINEDRIVER (AUXILIARY)

Note: For a full comprehensive Graco linelazer product offering visit us at graco.com or contact your local Graco Sales representative

FIELDLAZER FIELD MARKING EQUIPMENT SPECIFICATIONS

	FIELDLAZER S90	FIELDLAZER S100
SPECIFICATIONS		
Part Number	24R371	248942
Power	12V Maintenance-Free Battery	Honda GX35
Paint Pumping System	Graco High Pressure Airless Pump	Graco High Pressure Airless Pump
Tires	(3) Pneumatic	(3) Graco Tall-Wheels
Paint Hopper Capacity gal (l)	6 (23)	5-gallon bucket (not included)
Clean-up Features	• Sealed system for reduced flushing between use • Quick system flush • Tilt-N-Pour Removable Hopper N/A	• Sealed system for reduced flushing between use • Quick system flush • Siphon from disposable paint bucket
Fuel Capacity gal (l)	N/A	0.17 (0.63)
Line Width in (cm)	2-8 (5-20)	2-12 (5-30)
Weight Dry lb (kg)	60 (27)	80 (36)
Max Pressure psi (bar)	900 (62)	900 (62)
Max Tip Size	0.017	0.021
Adjustable Handle Height	Standard	Standard
Fold-Down Handle	Standard	Strandard
COMPOSITION		
Left or Right Spray Configuration	Standard	N/A
Gun	1	SG2
Tip	LL5315	LL5421
Hose ft (m)	6 (2)	25 (8) 3/16x7.5m
Spray Shield	Included 2	Included 2

Note: For a full comprehensive Graco fieldlazer product offering visit us at graco.com or contact your local Graco Sales representative

FIELDLAZER ACCESSORIES

PART NUMBER	DESCRIPTION
24R236	10 FT HOSE AMD 10 FT CABLE WITH SPRAY BUTTON
243296	15 IN TIP EXTENSION
243297	20 IN TIP EXTENSION
243298	30 IN TIP EXTENSION
235486	180 DEGREES SWIVEL FOR TIP EXTENSION
287591	GUN ARM EXTENSION (FOR FIELDLAZER S100 ONLY)

Note: For a full comprehensive Graco fieldlazer product offering visit us at graco.com or contact your local Graco Sales representative

GRINDLAZER SPECIFICATIONS

	GRINDLAZER DC21 HANDHELD	GRINDLAZER DC87 G STANDARD	GRINDLAZER DC89 G STANDARD	GRINDLAZER DC1013 G PRO	GRINDLAZER RC813 G PRO
GRINDLAZER (BARE)	–	25M842	25M843	25M846	25M847
GRINDLAZER W/ CARBIDE FLAIL, MEDIUM DRUM	25N609	26A576	26A587	26A620	–
GRINDLAZER W/ CARBIDE FLAT, MEDIUM DRUM	–	26A578	26A589	26A622	–
GRINDLAZER W/ CARBIDE-TIPPED MILLER, MEDIUM DRUM	–	–	–	26A624	–
GRINDLAZER W/ CARBIDE PIN 72 ROTARY	–	–	–	–	26A654
WEIGHT LB (KG)	12 (5.5)	150 (68)	160 (73)	230 (104)	450 (204)
CUTTER TYPE	Drum	Drum	Drum	Drum	Rotary
MAX WORKING WIDTH	2 in	8 in	8 in	10 in	8 in
CUTTER DRUM DIAMETER	4 in	5 in	5 in	7 in	N/A
ENGINE/MOTOR	240V Makita	6.5 HP Honda	9 HP Honda	13 HP Honda	13 HP Honda
ENGINE START	N/A	Pull Start	Pull Start	Pull Start	Electric Start
AIR FILTER	N/A	Cyclone™	Cyclone	Cyclone	Standard
TACH/HOUR METER	NO	YES	YES	YES	YES
MAX CUT RATE (WALK)	100 sq ft/hr	300 sq ft/hr	400 sq ft/hr	700 sq ft/hr	800 sq ft/hr
MAX CUT RATE (LINEDRIVER)	N/A	N/A	N/A	N/A	N/A
LINEDRIVER COMPATIBLE	NO	NO	NO	NO	NO
VACUUM PORT	YES	YES	YES	YES	YES
WATER CONNECTION	NO	Optional	Optional	Optional	NO
DEPTH CONTROL	NO	NO	NO	NO	NO
SYSTEM APPLICATIONS	• Touch-Ups • Edge Work • Walls	• Traffic Paint Removal • Thermoplastic Removal • Smoothing Uneven Surfaces		• Traffic Paint Removal • Thermoplastic Removal • Smoothing Uneven Surfaces • Epoxy Removal • Inlay Grooving (requires High Speed Pulley Kit - 25M893)	• Traffic Paint Removal • Thermoplastic Removal • Surface Prep prior to applying markings

	LAZERVAC 330	LAZERVAC 550	CYCLONE 20 SEPARATOR	CYCLONE 32 SEPARATOR
PART NUMBER	25E237	25M860	25M861	25M862
AIR POWER	1,665 Air-Watts	2,045 Air-Watts		
AIR FLOW	375 CFM	300 CFM		
VACUUM PRESSURE	100" Water	150" Water		
CAPACITY	20 gal	20 meter-long bag	20 gal	32 gal
ENGINE/MOTOR	3.0 HP, 230V	13 HP Honda		

Please order cord set 17A242 when ordering LazerVac 330

Note: For a full comprehensive Graco grindlazer product offering visit us at graco.com or contact your local Graco Sales representative

AIRLESS ACCESSORIES

AIRLESS GUNS

	PART NUMBER	
	17Y043 17Y044	CONTRACTOR PC GUN, RAC X, LP517 CONTRACTOR PC GUN, RAC X, LTX517
	19Y349 19Y446	CONTRACTOR PC COMPACT GUN, RAC X, LTX CONTRACTOR PC COMPACT GUN, RAC X, FFLP - WITH WHIP HOSE
	246506	SG3 GUN, 515 RAC 5
	288430	FTX GUN, RAC X, LTX515
	288420	CONTRACTOR GUN, RAC X, LTX515
	246240	SILVER GUN, 2F WITH RAC X (LTX517) TIP AND RAC X GUARD
	241705	HD BLUE TEXTURE GUN WITH RAC X GUARD AND 531 TIP

GUN REPAIR KITS & PARTS

	17Y297	CONTRACTOR/COMPACT PC PROCONNECT REPAIR KIT
	288488	CONTRACTOR/FTX REPAIR KIT
	288817	SG3 GUN REPAIR KIT
	218070	IN LINE VALVE REPAIR KIT
	235474	SILVER PLUS/FLEX PLUS GUN REPAIR KIT
	237260	HD BLUE TEXTURE GUN REPAIR KIT
	17Y466	CONTRACTOR PC TRIGGER ASSEMBLY
	19Y440	COMPACT PC TRIGGER ASSEMBLY

BLUEMAX II HOSES

PART NUMBER	DESCRIPTION
214981	BLUEMAX II HOSE 3/16" X 4.5M (FBE), 1/4"18NPSM FXF, 3300 PSI
214698	BLUEMAX II HOSE 3/16" X 7.5M (FBE), 1/4"18NPSM FXF, 3300 PSI
240793	BLUEMAX II HOSE 1/4" X 7.5M (FBE), 1/4"18NPSM FXF, 3300 PSI
240794	BLUEMAX II HOSE 1/4" X 15M (FBE), 1/4"18NPSM FXF, 3300 PSI
223771	BLUEMAX II HOSE 1/4" X 30M (FBE), 1/4"18NPSM FXF, 3300 PSI
277250	BLUEMAX II HOSE 1/4" X 15M (FBE), 1/4"18NPSM FXF, 4000 PSI
240796	BLUEMAX II HOSE 3/8" X 7.5M (FBE), 1/4"18NPSM FXF, 3300 PSI
240797	BLUEMAX II HOSE 3/8" X 15M (FBE), 1/4"18NPSM FXF, 3300 PSI
241275	BLUEMAX II HOSE 3/8" X 30M (FBE), 1/4"18NPSM FXF, 3300 PSI
277251	BLUEMAX II HOSE 3/8" X 15M (FBE), 3/8"18NPSM FXF, 4000 PSI

238358	BLUEMAX II WHIP 3/16" X 0.9M, 1/4"18NPSM MXF, 3300 PSI
238959	BLUEMAX II WHIP 3/16" X 1.4M, 1/4"18NPSM MXF, 3300 PSI
238359	BLUEMAX II WHIP 3/16" X 1.8M, 1/4"18NPSM MXF, 3300 PSI
277249	BLUEMAX II WHIP 1/4" X 0.9M, 1/4"(F) X 3/8"(M) 18NPSM, 4000 PSI
277351	BLUEMAX II WHIP 3/8" X 0.9M, 1/8"(F) 18NPSM X 1/2"(M) 14NPT, 4000 PSI

AIRLESS GUN, TIP & HOSE KITS

PART NUMBER	DESCRIPTION
210500	GUN FILTER HOUSING IN LINE
181085	GUN ADAPTER CONVERT 11/16' THREAD TO 7/8'
224457	SWIVEL 1/4" (204940 IN BLISTER)
17Y051	CONTRACTOR PC GUN, RAC X, LP517, 1/4"X15M + 3/16" X 1.5M
17Y046	KIT PC GUN/HOSE 1/4X50 LTX 517
17Y048	KIT PC GUN/HOSE 3/8X50 LTX 517
288493	FTX GUN, 4F, RAC X (517,60M), 1/4"X15M + 3/16"X 0.9M
288490	CONTRACTOR GUN, RAC X (621), 3/8" X 15M + WHIP HOSE 3/16" X 0.9M
288489	GB KIT CONTRACTOR GUN/HOSE RAC X 517 1/4

RAC X guard is compatible with RAC X tips.



AIRLESS GUARDS

	PART NUMBER	DESCRIPTION
	246215	GUARD RAC X 7/8" THREAD - 3600PSI
	246437	GUARD RAC X 11/16" THREAD 3600PSI - STANDARD
	243161	GUARD RAC V, 7/8" THREAD - 3600PSI
	243263	GUARD RAC V, 11/16" THREAD - 3600PSI
	220247	GUARD FF FLAT TIP, 7/8" THREAD - 3600PSI
	220249	GUARD FF FLAT TIP, 11/16" THREAD - 3600PSI
	220251	GUARD FLAT TIP, 7/8" THREAD - 5000PSI
	220255	GUARD FLAT TIP, 11/16" THREAD - 5000PSI
	224454	TIP FILTER, 60 MESH (5X)
	224453	TIP FILTER, 100 MESH (5X)
	220254	KIT (60 MESH + 100 MESH + GUARD)

AIRLESS POLE GUNS, CLEANSHOT & TIP EXTENSIONS

	PART NUMBER	DESCRIPTION
	287019	25 CM TIP EXTENSION WITH RAC X GUARD
	287020	40 CM TIP EXTENSION WITH RAC X GUARD
	287021	50 CM TIP EXTENSION WITH RAC X GUARD
	287022	75 CM TIP EXTENSION WITH RAC X GUARD
	232121	FIXED EXTENSION, HD, 25 CM
	232122	FIXED EXTENSION, HD, 50 CM
	232123	FIXED EXTENSION, HD, 100 CM
	232124	FIXED EXTENSION, HD, 150 CM
	232125	FIXED EXTENSION, HD, 200 CM
	287023	3 FT POLE GUN, 90 CM W/RAC X (517)
	287024	6 FT POLE GUN, 180 CM W/RAC X (517)
	244163	POLE GUN EXTENSION, 90 CM
	244164	POLE GUN EXTENSION, 180 CM
	287030	CLEANSHOT SHUT-OFF VALVE, RAC X (517) (SWIVELS)
	15H622	EXTENSION GASKET
	235486	180 DEGREE SPRAY NOZZLE

AIRLESS GASKETS & TIP SEAT KITS

PART NUMBER	DESCRIPTION
15A981	RAC X SEAT
195558	RAC V SEAT
181603	RAC IV SEAT
246453	RAC X SEAT + GASKET (BLACK, X5)
248936	RAC X SEAT + GASKET, SOLVENT (ORANGE, X5)
243281	RAC V SEAT + GASKET (BLACK, X5)
221176	RAC IV SEAT + GASKET (BLACK, X5)
17P501	TIP SEAT/GASKET LP/FFLP (BLACK X5)
17P502	TIP SEAT/GASKET LP/FFLP (ORANGE X5)
183616	SEAL IN AAM TIPS OR REMOVING BLUE FILTER

JETROLLER

PART NUMBER	DESCRIPTION
24W128	JETROLLER, 50CM EXTENSION, INLINE GUN, 450MM FRAME, CLEANSHOT, RAC X GUARD & WR1223 TIP
24U170	JETROLLER SYSTEM 230MM COMPLETE
24U172	JETROLLER COMPLETE 230MM SYSTEM WITH INLINE VALVE
24X605	JETROLLER 270MM WITH GUN, SYSTEM WITH INLINE VALVE
24V829	FRAME JETROLLER, 230MM
24W130	FRAME JETROLLER, 460MM
24X651	FRAME JETROLLER, 270MM
24V832	EXTENSION JETROLLER FRAME HANDLE, 305MM
232122	50CM HEAVY DUTY EXTENSION

AIRLESS ROLLER HEADS & EXTENSIONS

PART NUMBER	DESCRIPTION
244271	230MM EVENFLOW ROLLER FRAME WITH 22MM THRED FIR USE WITH HEAVY-DUTY EXTENSIONS
244623	230MM EVENFLOW ROLLER FRAME WITH 1/8 NPT THREAD FOR USE WITH TELESCOPING EXTENSIONS
240005	230MM GEOSPERSE ROLLER FRAME WITH 22MM THREAD
240055	305MM GEOSPERSE ROLLER FRAME WITH 22MM THREAD
218935	GEOSPERSE ROLLER HEAD (23CM) NO COVER TELESCOPIC
224268	GEOSPERSE ROLLER HEAD (30CM) NO COVER TELESCOPIC
218775	TELESCOPIC ROLLER EXTENSION (45-90 CM) W.244825
218776	TELESCOPIC ROLLER EXTENSION (90-180 CM) W.244825
218777	TELESCOPIC ROLLER EXTENSION (180-360 CM) W.24482
244279	EVENFLOW 230MM ROLLER ASSEMBLY
244281	EVENFLOW 230MM TELESCOPIC ROLLER ASSEMBLY
245397	EVENFLOW 230MM IN-LINE VALVE ROLLER ASSEMBLY

AIRLESS ROLLER ADAPTERS

	PART NUMBER	DESCRIPTION
	244825	ADAPTER 1/4"TO 7/8" FOR TELESCOPIC ROLLER EXTENSION
	224399	ADAPTER 45DEG SWIVEL 7/8" (F X M)
	224398	ADAPTER 1/8" TO 7/8" FOR HD EXTENSIONS

AIRLESS ROLLER COVERS

	107589	230MM ROLLER COVER, 9.5MM NAP
	107590	230MM ROLLER COVER, 13MM NAP
	107591	230MM ROLLER COVER, 19MM NAP
	186944	305MM ROLLER COVER, 13MM NAP
	186945	305MM ROLLER COVER, 19MM NAP

GENERAL PARTS

	PART NUMBER	DESCRIPTION
REDUCING JOINERS: M X M		**THREAD, MAX . W. PRESS .-BAR , SWIVEL MAT -L**
	191872	1/8" NPT x 1/4" NPSM, 345, CS
	165274	1/4" NPT x 11/16"-27 UNS, 345, CS
	164856	3/8" NPT x 1/4" NPT, 550, SS
	164672	3/8" NPT x 1/4" NPSM, 413, CS
	196177	3/8" NPT x 1/4" NPSM, 415, CS WITH E-NICKEL
	161800	3/4" NPT x 3/8" NPSM, 275, CS
	196142	3/4" NPT x 1/2" NPT, 345, CS
	158979	1/2" NPT x 3/8" NPT , 375, CS
	159239	1/2" NPT X 3/8" NPT, 510, CS
ADAPTERS: M X F		**THREAD, MAX . W. PRESS .-BAR , SWIVEL MAT -L**
	244825	1/4" NPT, 7/8"-14 UNP, 230, CS
	104969	1/2" NPT, 3/4" NPT, 275, CS
	181085	7/8"-14 UNF, 11/16"- 16 UNEF, 345, CS, METRIC GUN TO GRACO GUARD
	164120	11/16"- 16 UNEF, 7/8"-14 UNF-2B, 345, CS: GRACO GUN TO METRIC GUARD
	159841	ADAPTER, 1/4 NPT(F) X 3/8 NPT(M)
PIPE TEES: F X F X M		**THREAD, MAX . W. PRESS .-BAR , SWIVEL MAT -L**
	106228	2 X 1/4" NPT(F) X 1/4" NPT(M), 210, BRASS
	108673	2 X3/8" NPT(F) X 3/8" NPT(M), 275, SS
	111337	2 X 3/4" NPT(F) X 3/4" NPT(M), 275, CS
BALL VALVES		**THREAD, MAX . W. PRESS .-BAR , PACKING MAT -L**
	239280	1/4" NPT (MBE), 350, FLUOROELASTOMER
	238694	3/8" NPT (MBE), 350, PTFE/SS
	223522	1/4" NPT(M) X DRILLED PLUG, 350, FLUOROELASTOMER
	224441	3/8" NPT(M) X DRILLED PLUG, 350, FLUOROELASTOMER
	238967	3/8"M NPT (MBE), 350, PTFE WITH PEEK SEAT

AIRLESS INLET STRAINERS, GUN & PUMP FILTERS

AIRLESS INLET STRAINERS

181072

189920

235004

183770

246385

289131

PART NUMBER	DESCRIPTION
106114	INLET STRAINER 60 MESH GH ROOF RIGS
167759	INLET STRAINER, EH 433
181072	INLET STRAINER,1" 8 MESH, ULTRA(+), MAX / EM500, DOUBLE SCREEN
181073	INLET STRAINER,1/2",ULTRA(+), MAX/EM5000/GMAX
183770	INLET STRAINER 3/4" 8 MESH, 190ES, PRO 395/495
189920	INLET STRAINER 1" 8 MESH, MARK V.HD,GMAX 5900HD, GMAX 7900
235004	INLET STRAINER 3/4-16UNF, 390ST/490ST/395ST/ 495ST
237675	INLET STRAINER 1/2", 490ST UPRIGHT
237820	INLET STRAINER 5/8", 290 EASY
237840	INLET STRAINER 1 1/4", GM GMAX 10000, HYDRAMAX
246385	INLET STRAINER 7/8", 395/495, GX19
288472	INLET STRAINER 10 MESH, GH, CRUSH-PROOF
288481	INLET STRAINER 10 MESH W/NUT
288480	NUT INLET STRAINER 10 MESH
289131	INLET STRAINER 16 MESH, GH, CRUSH-PROOF
289132	INLET STRAINER 16 MESH W/NUT
257033	Q KIT STRAINER CRUSH PROOF
195697	STRAINER MAGNUM X5 & X7
15V573	CRUSH PROOF SUIT PRO CONTRACTOR - IRONMAN
288716	INLET STRAINER GX21

SWIVELS, ADAPTERS AND JOINERS

	PART NUMBER	DESCRIPTION
GUN SWIVELS	244515	1/4" NPT(M)X 1/4" NPSM(F), 210, LEATHER, CS
	223341	1/4" NPT (M) X 1/4" NPSM(F), 250, PTFE, CS
	239663	1/4" NPT(M) X 1/4" NPSM(F), 250, LEATHER, CS
	207947	1/2" NPT(M) X 1/2" NPT(F), 410, CS ZINC PLATED
	119783	FITTING TEE SWIVEL
	115523	HYDRAULIC GAUGE
SWIVEL UNIONS	156823	1/4" NPT(M) X 1/4" NPT(F), 690, CS
	157705	1/4"NPT (M) X 3/8" NPSM(F), 515, CS
	190451	1/2" NPT(M) X 1/2" NPSM(F), 206, CS
	159153	1/4" NPT(F) X 3/8" NPT(F), 515, CS
	156173	3/8" NPSM(F) X 3/8" NPT(F), 510, CS
	161077	1/2"NPT(F) X 3/8" NPSM(F), 240, CS
	155865	1/2" NPSM(F) X 1/2" NPT(F), 500, CS
HEX JOINER	162453	1/4" NPSM x 1/4" NPT NPSM, 515, CS
	156971	1/4" NPT x 1/4" NPT, 515, CS
	156849	3/8" NPT x 3/8" NPT, 500, CS
	196178	3/8" NPSM x 3/8" NPT, 350, CS WITH E-NICKEL
	157350	3/8" NPT x 1/4" NPT, 413, CS
	158491	1/2" NPT X 1/2" NPT, 510, CS

AIRLESS PUMP FILTERS





PART NUMBER	DESCRIPTION
246425	FILTER, 30 MESH, GREY
246384	FILTER, 60 MESH, BLACK
246382	FILTER, 100 MESH, BLUE
246383	FILTER, 200 MESH, RED
243080	FILTER, EASY OUT, 60 MESH, SHORT, BLACK
243081	FILTER, EASY OUT, 100 MESH, SHORT, BLUE
243226	FILTER, EASY OUT, 200 MESH, SHORT, RED
244071	FILTER, EASY OUT, 30 MESH, LONG, GREY
244067	FILTER, EASY OUT, 60 MESH, LONG, BLACK
244068	FILTER, EASY OUT, 100 MESH, LONG, BLUE
244069	FILTER, EASY OUT, 200 MESH, LONG, RED
288747	MAGNUM FILTER, 60 MESH, BLACK

AIRLESS GUN FILTERS

PART NUMBER	DESCRIPTION
218131	GUN FILTER, 50 MESH CONTR. + FTX-E (BLUE) INLINE GUN
218133	GUN FILTER,100 MESH CONTR. + FTX-E (ORANGE)
257129	EASY-OUT FILTER, 30 MESH
287032	EASY-OUT GUN FILTER, 60 MESH (BLACK)
287033	EASY-OUT GUN FILTER 100 MESH (BLUE)
257130	EASY-OUT FILTER 200 MESH
287034	EASY-OUT GUN FILTER 60 MESH + 100 MESH
224455	CONTRACTOR GUN FILTER 50 MESH, FTX-E (X2)
224456	CONTRACTOR GUN FILTER 100 MESH, FTX-E (X2)
19Y355	CONTRACTOR PC COMPACT GUN FILTER 60 MESH
19Y356	CONTRACTOR PC COMPACT GUN FILTER 100 MESH
19Y358	CONTRACTOR PC COMPACT GUN FILTER 60/100 MESH COMBO
288749	SG2-SG3 GUN FILTER 50 MESH
288750	SG2-SG3 GUN FILTER 100 MESH

MISCELLANEOUS ACCESSORIES

PART NUMBER	DESCRIPTION
17H171	HOPPER, 5.7L
240296	HOSE STRAP (X4)
15F446	GUN TOOL
24W755	PROGUARD 230V, IEC320, MULTI-CORD
289535	MOISTURE SEPERATOR KIT
119799	CLEANING BRUSH
242005	CORD SET ADAPTER ANZ

AIRLESS MOTOR KITS

PART NUMBER	DESCRIPTION
248943	HONDA GX160 - 160CC
248944	HONDA GX200 - 200CC
248945	HONDA GX270 - 270CC
248946	ELECTRIC MOTOR- 3 HP (2.2 KW)
24M668	DUTYMAX KIT, ELECTRIC MOTOR, 3 HP

AIRLESS LIQUIDS

PART NUMBER	DESCRIPTION
206994	TSL, 240mL (8oz)
206995	TSL, 950mL (32oz)
206996	TSL, 3.8 L
243103	PUMP ARMOR LIQUID, 950mL (32oz)
245133	PUMP ARMOR LIQUID, 3.8 L
207428	HYDRAULIC FLUID, 3.8 L
117784	PUMP OIL, 130mL (4.5oz), FOR RADIAL AXIAL - PUMPS ONLY (G-FORCE)
246377	PUMP OIL, 950mL (32oz), FOR TRIPLEX PLUNGER - PUMPS ONLY (G-FORCE)

AIRLESS PROCONNECT PUMP LOWERS

AIRLESS PROCONNECT PUMP LOWERS (VORTEX / MAXFLO 2)

PART NUMBER	DESCRIPTION
17H823	ULTRA MAX II 695/795 PROCONTRACTOR & GMAX II 3900 PROCONTRACTOR - VORTEX PUMP LOWER - MAXLIFE
17H824	ULTRA MAX II 1095 PROCONTRACTOR & GMAX II 5900 PROCONTRACTOR - VORTEX PUMP LOWER - MAXLIFE
17H826	ULTRA MAX II 1095 IRONMAN & GMAX II 5900 IRONMAN - VORTEX PUMP LOWER - MAXLIFE EXTREME
17H832	MARK IV PROCONTRACTOR - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE
17H833	MARK V PROCONTRACTOR & GMAX II 5900 HD PROCONTRACTOR - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE
17H835	MARK X PROCONTRACTOR & GMAX II 7900 HD PROCONTRACTOR - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE
17H825	GMAX II 7900 PROCONTRACTOR - VORTEX PUMP LOWER - MAXLIFE
17H836	MARK V IRONMAN - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE EXTREME
17H837	MARK X IRONMAN & GMAX II 7900 HD IRON MAN - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE EXTREME
17H827	GMAX II 7900 IRONMAN - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE EXTREME
17H828	MARK IV STANDARD - PUMP LOWER - MAXFLO 2
17H829	MARK V STANDARD & GMAX II 5900 HD STANDARD - PUMP LOWER - MAXFLO 2
17H831	MARK X STANDARD - PUMP LOWER - MAXFLO 2
25E689	GMAX II 7900 HD STANDARD - PUMP LOWER - MAXLIFE - MAXFLO 2
17C488	BLISTER PACK - PROCONNECT PUMP LOWER
17C720	REPLACEMENT PUMP OLDER UNITS ULTRA MAX 190-595
24Y472	BLISTER PACK - PROXCHANGE GX PUMP

AIRLESS MAXLIFE VORTEX RODS

PART NUMBER	DESCRIPTION
17H876	MAXLIFE VORTEX ROD, ULTRA MAX II 695/795 PROCONTRACTOR & GMAX II 3900 PROCONTRACTOR
17H877	MAXLIFE VORTEX ROD, ULTRA MAX II 1095 PROCONTRACTOR & GMAX II 5900 PROCONTRACTOR
17H879	MAXLIFE EXTREME VORTEX ROD, ULTRA MAX II 1095 IRONMAN & GMAX II 5900 IRONMAN
17H880	MAXLIFE EXTREME VORTEX ROD, GMAX II 7900 IRONMAN
17H881	MAXLIFE VORTEX ROD, MARK IV PROCONTRACTOR
17H882	MAXLIFE VORTEX ROD, MARK V PROCONTRACTOR & MARK VII PROCONTRACTOR & G-MAX II 5900 HD PROCONTRACTOR
17H883	MAXLIFE VORTEX ROD, MARK X PROCONTRACTOR & G-MAX II 7900 HD PROCONTRACTOR
17H878	MAXLIFE VORTEX ROD, GMAX II 7900 PROCONTRACTOR
17H884	MAXLIFE EXTREME VORTEX ROD, MARK V IRONMAN & MARK VII IRONMAN
17H885	MAXLIFE EXTREME VORTEX ROD, MARK X IRONMAN & GMAX II 7900 HD IRON MAN

QUIKPAKS

PART NUMBER	DESCRIPTION
17H838	ULTRA MAX II 695/795 STANDARD/PREMIUM, ULTRA MAX II 695 STANDARD, ULTRA MAX 795, GMAX II 3900 STANDARD, GMAX II 3900 PROCONTRACTOR, GMAX II 3900 STANDARD/PREMIUM, GMAX 3900, LINELAZER 3900
17H841	ULTRA MAX II 695/795 PROCONTRACTOR
17H839	ULTRA MAX II 1095 STANDARD/PREMIUM, GMAX II 5900 STANDARD, GMAX II 5900 HD PREMIUM, GMAX 5900, LINELAZER 5900
17H842	ULTRA MAX II 1095 PROCONTRACTOR SERIES, GMAX II 5900 PROCONTRACTOR
17H843	ULTRA MAX II 1095 IRONMAN, GMAX II 5900 IRONMAN
17H845	MARK IV STANDARD
17H849	MARK IV PROCONTRACTOR
17H846	MARK V STANDARD, GMAX 5900 HD STANDARD
17H850	MARK V PROCONTRACTOR/IRONMAN, GMAX II 5900 HD PROCONTRACTOR/ IRONMAN
17H848	MARK X STANDARD
17H852	MARK X PROCONTRACTOR/IRONMAN, GMAX II 7900 HD STANDARD/ PROCONTRACTOR/IRONMAN
17H840	GMAX II 7900 STANDARD, GMAX II 7900 PROCONTRACTOR
17H844	GMAX II 7900 IRONMAN

AIRLESS MAXLIFE SLEEVES & RODS

PART NUMBER	DESCRIPTION
17H864	MAXLIFE SLEEVE, ULTRA MAX II 695/795 PROCONTRACTOR & MARK IV PROCONTRACTOR & GMAX II 3900 PROCONTRACTOR
257031	MAXLIFE SLEEVE, ULTRA MAX II 1095 PROCONTRACTOR/IRONMAN, MARK V/VII PROCONTRACTOR/IRONMAN & GMAX II 5900 PROCONTRACTOR/ IRONMAN
249121	MAXLIFE SLEEVE, MARK X STANDARD/PROCONTRACTOR/IRONMAN, GMAX 7900 (HD) STANDARD/PROCONTRACOR/IRONMAN
287817	MAXLIFE SLEEVE (GH230/300)
249119	MAXLIFE ROD EH/GH200
287816	MAXLIFE ROD GH 230/300
287832	MAXLIFE ROD GH833
288469	MAXLIFE ROD (GH200)
288470	MAXLIFE ROD (GH230/300)

AIRLESS PROCONNECT PUMP LOWERS, MAXLIFE SLEEVES & RODS, PUMP FILTERS

AIRLESS PROCONNECT PUMP LOWERS

PART NUMBER	DESCRIPTION
248204	ULTRA MAX II 695/795 STANDARD - PUMP LOWER
248205	ULTRA MAX II 1095 STANDARD - PUMP LOWER
16X414	ULTRA MAX II 695/795 & GMAX II 3900 PROCONTRACTOR - PUMP LOWER - PROCONNECT 2
16X419	ULTRA MAX II 1095 & GMAX II 5900 PROCONTRACTOR - PUMP LOWER - PROCONNECT 2
16X420	ULTRA MAX II 1095 & GMAX II 5900 IRONMAN - PUMP LOWER - PROCONNECT 2 - MAXLIFE
16X428	MARK IV STANDARD - PUMP LOWER
16X429	MARK V STANDARD & GMAX II 5900 HD STANDARD - PUMP LOWER
16Y601	MARK VII STANDARD - PUMP LOWER
16X425	MARK X STANDARD & GMAX II 7900 HD STANDARD - PUMP LOWER - MAXLIFE
16X418	MARK IV PROCONTRACTOR - PUMP LOWER - PROCONNECT 2
16X421	MARK V & GMAX II 5900 HD PROCONTRACTOR - PUMP LOWER - PROCONNECT 2
16Y602	MARK VII PROCONTRACTOR - PUMP LOWER - PROCONNECT 2
16X427	MARK X PROCONTRACTOR & GMAX II 7900 HD PROCONTRACTOR/IRONMAN - PUMP LOWER - PROCONNECT 2 - MAXLIFE
16Y599	MARK V IRONMAN - PUMP LOWER - PROCONNECT 2 - MAXLIFE
16Y598	GMAX II 3900 STANDARD - PUMP LOWER
16Y706	GMAX II 5900 STANDARD - PUMP LOWER
16X423	GMAX II 7900 STANDARD - PUMP LOWER - MAXLIFE
16X426	GMAX II 7900 PROCONTRACTOR - PUMP LOWER - PROCONNECT 2 - MAXLIFE
288467	GH200 - PUMP LOWER, PROCONNECT
288468	GH230/300 - PUMP LOWER, PROCONNECT
17R044	APX 6200 PUMP LOWER, CHROME
17R042	APX 8200 PUMP LOWER, CHROME
17N693	APX 6200 PUMP LOWER, MAXLIFE
17N694	APX 8200 PUMP LOWER, MAXLIFE
24W999	DUTYMAX - PUMP LOWER, STANDARD SERIES
24X001	DUTYMAX - PUMP LOWER, PROCONTRACTOR SERIES
16U753	GH 733 - PUMP LOWER
16U755	GH 933 - PUMP LOWER
16U751	GH 1017 - PUMP LOWER
16U752	GH 2570 - PUMP LOWER
16U754	GH 5040 - PUMP LOWER

TIPS



RAC SWITCHTIPS

The quality of your work is only as good as the quality of your finish. Graco's superior RAC SwitchTips are built to the highest standards and designed to consistently produce the best finish in the industry, every time.

- Maximize your results and improve the quality of your work
- 100% tested for flow rate
- Available in a wide range of sizes for different materials
- Specific color coding for each application spraying all day

LOW PRESSURE (LP) AND FINE FINISH LOW PRESSURE (FFLP) RAC X SWITCHTIPS

- Less prep and cleanup time
- Less mess with less overspray
- Easiest pattern overlap
- Reduced maintenance — up to 2X life
- 46 different sizes for large surface and fine finish applications
  - LP for walls, ceilings, and floors
  - FFLP for fine finish applications

RAC X PREMIUM QUALITY SWITCHTIPS

- For indoor and outdoor residential painting jobs and commercial or industrial jobs
- 107 RAC X SwitchTip sizes for every application
- Longest lasting fan pattern for the highest quality finish
- Available in the most common tip sizes

RAC 5 SWITCHTIPS

- For residential and commercial applications
- Standard, proven tip technology
- Economical tip choice

LINELAZER RAC 5 SWITCHTIPS

- Creates clean, laser-sharp lines with no fuzzy edges or thin spots
- Designed specifically for parking lots, roads, warehouse floors, crosswalks, and athletic fields
- Sprays heavy water-based to thin alkyd traffic paints
- Ensures consistent thickness from edge to edge, less overspray, and long-lasting lines

XHD RAC SWITCHTIPS

- Recommended for King® and Xtreme™ sprayers
- Compatible with XTR-7 and XTR-5 airless spray guns
- Interchangeable with HD guards and tips

RAC X WIDERAC SWITCHTIPS

- Spray 2X the area in half the time
- Ideal for high production and new construction
- Ensures proper mil build
- Covers the same area in 3 passes and in half the time!

RAC X SWITCHTIPS (LTXXXX)

FAN WIDTH IN	MM	.007	.009	.011	.013	.015	.017	.019	.021	.023	.025	.027	.029	.031	.033	.035	.037	.039	.041	.043	.045	.051	.055	.061	.065	.071
2-4	(51-1		109	111		115																				
4-6	(102-1	207	209	211	213	215	217	219	221		225	227		231		235										
6-8	(152-2		309	311	313	315	317	319	321	323	325	327	329	331		335										
8-10	(203-254)		409	411	413	415	417	419	421	423	425	427	429	431	433	435		439	441	443	445	451	455			
10-12	(254-305)		509	511	513	515	517	519	521	523	525	527	529	531	533	535	537	539	541	543	545	551	555	561		
12-14	(305-356)			611	613	615	617	619	621	623	625	627	629	631	633	635	637	639	641	643	645	651	655	661	665	671
14-16	(356-406)								721	723			729			735										
16-18	(406-XXX)								821					831	833	835										
Flow Rate (gpm)		.05	.09	.12	.18	.24	.31	.38	.47	.57	.67	.77	.90	1.03	1.17	1.31	1.47	1.63	1.8	1.98	2.17	2.79	3.25	4.0	4.53	5.41
Flow Rate (lpm)		.20	.33	.49	.69	.91	1.17	1.47	1.79	2.15	2.54	2.96	3.42	3.90	4.42	4.98	5.56	6.18	6.83	7.51	8.23	10.57	12.29	15.12	17.17	20.48

WIDERAC RAC X SWITCHTIPS (WRXXXX)

IN	MM	.021	.023	.025	.027	.029	.031	.033	.035	.037	.039
24	(610)	1221	1223	1225	1227	1229	1231	1233	1235	1237	1239
Flow Rate (gpm)		.47	.57	.67	.77	.90	1.03	1.17	1.31	1.47	1.63
Flow Rate (lpm)		1.79	2.15	2.54	2.96	3.42	3.90	4.42	4.98	5.56	6.18

WideRAC Conversion

RAC 5 OR RAC X	WIDERAC
415 or 515	1221 or 1223
417 or 517	1223 or 1225
419 or 519	1225 or 1227
421 or 621	1229 or 1231
523 or 623	1233 or 1235
525 or 625	1235 or 1237

When you use WideRAC, be sure to increase the orifice size of the tip to ensure the same mil build and rate of application (arm speed). Also, make sure your airless sprayer can support the larger tip size.

FINE FINISH LOW PRESSURE RAC X SWITCHTIPS (FFLPXXX)

FAN WIDTH IN	MM	.008	.010	.012	.014	.016
2-4	(51-102)	108	110	112		
4-6	(102-152)	208	210	212	214	
6-8	(152-203)	308	310	312	314	
8-10	(203-254)		410	412	414	
10-12	(254		510	512	514	516
12-14	(305					616

Lowering spray pressure can reduce flow in some materials. Increase tip orifice size to maintain speed and material flow if needed.

LOW PRESSURE RAC X SWITCHTIPS (LPXXX)

FAN WIDTH IN	MM	0.013	0.015	0.017	0.019	0.021	0.023	0.025	0.027	0.029	0.031
6-8	(152-2	313	315								
8-10	(203-		415	417	419	421	423	425			
10-12	(254-305)		515	517	519	521	523	525	527		
12-14	(305-356)			617	619	621	623	625	627	629	631
14-16	(356-406)						723	725		729	731

LATEX WALL PAINT AT HALF THE TYPICAL PRESSURE

FF LP PRODUCES A SUPERIOR FINISH

OTHER TIPS PRODUCE TAILS AT SAME PRESSURE

RAC 5 SWITCHTIPS (286XXX)

FAN WIDTH IN	MM	.007	.009	.011	.013	.015	.017	.019	.021	.023	.025	.027	.029	.031	.033	.035	.039	.043	.045	.051	.055	.063	.065
2-4	(51-1		109	111	113	115		119	121														
4-6	(102-1	207	209	211	213	215	217	219	221	223	225					235							
6-8	(152-2	307	309	311	313	315	317	319	321	323	325	327		331									
8-10	(203-		409	411	413	415	417	419	421	423	425	427	429		433	435	439	443		451	455		
10-12	(254-305)		509	511	513	515	517	519	521	523	525	527	529	531	533	535		543		551	555	563	
12-14	(305-356)		609	611	613	615	617	619	621	623	625	627	629	631	633	635			645		655		665
14-16	(356-406)								721	723	725		729			735							
16-18	(406-XXX)					815	817	819	821			827		831	833	835							
18-20	(457-508)						917									935							
FLOW RATE (GPM)		.05	.09	.12	.18	.24	.31	.38	.47	.57	.67	.77	.90	1.03	1.17	1.31	1.63	1.98	2.17	2.79	3.25	4.26	4.53
FLOW RATE (LPM)		.20	.33	.49	.69	.91	1.17	1.47	1.79	2.15	2.54	2.96	3.42	3.90	4.42	4.98	6.18	7.51	8.23	10.57	12.29	16.13	17.17

Disclaimer:
Flow rate calculated based on water at 2000 psi (138 bar, 13.8 MPa). Paints with higher viscosity will decrease flow rate.

Examples:
For a tip with .015 orifice and a 6 in (152 mm) pattern, order LTX315. Fan width is measured at 12 in (305 mm) from the surface.

For LineLazer: for a tip with .015 orifice and a 4 in (102 mm) pattern, order LL5215. Fan width is measured at 6 in (152 mm) from the surface.

RAC 5 SWITCHTIPS (FOR LINELAZER) (LL5XXX)

FAN WIDTH IN	MM	.013	.015	.017	.019	.021	.023	.025	.027	.029	.031	.033	.035	.039	.055
2	(51)	213	215	217	219										
4	(102)		315	317	319	321	323	325	327	329	331	333	335		355
4-8	(102-2			417	419	421	423	425	427	429	431		435		
8-12	(204-					621	623	625	627	629	631		635	639	
FLOW RATE (GPM)		.18	.24	.31	.38	.47	.57	.67	.77	.90	1.03	1.17	1.31	1.63	3.25
FLOW RATE (LPM)		.69	.91	1.17	1.47	1.79	2.15	2.54	2.96	3.42	3.90	4.42	4.98	6.18	12.29

XHD RAC SWITCHTIPS (XHDXXX)

FAN WIDTH IN	MM	.007	.009	.011	.013	.015	.017	.019	.021	.023	.025	.027	.029	.031	.033	.035	.037	.039	.041	.043	.045	.047	.049
2-4	(51-1	107	109	111	113	115	117	119	121														
4-6	(102-1		209	211	213	215	217	219	221		225	227	229	231		235		239					
6-8	(152-2	307	309	311	313	315	317	319	321	323	325	327	329	331	333	335	337	339	341	343	345	347	
8-10	(203-		409	411	413	415	417	419	421	423	425	427	429	431	433	435	437	439	441	443	445	447	449
10-12	(254-305)		509	511	513	515	517	519	521	523	525	527	529	531	533	535	537	539	541	543	545	547	549
12-14	(305-356)		609	611	613	615	617	619	621	623	625	627	629	631	633	635	637	639	641	643	645	647	649
14-16	(356-406)			711	713	715	717	719	721	723	725	727	729	731	733	735	737	739	741	743	745	747	749
16-18	(406-XXX)				813	815	817	819	821	823	825	827	829	831	833	835	837	839	841	843		847	
18-20	(457-508)									923		927		931	933	935	937	939					
FLOW RATE (GPM)		.05	.09	.12	.18	.24	.31	.38	.47	.57	.67	.77	.90	1.03	1.17	1.31	1.47	1.63	1.8	1.98	2.17	2.37	2.58
FLOW RATE (LPM)		.20	.33	.49	.69	.91	1.17	1.47	1.79	2.15	2.54	2.96	3.42	3.90	4.42	4.98	5.56	6.18	6.83	7.51	8.23	8.98	9.76

FAN WIDTH IN	MM	.051	.053	.055	.057	.059	.061	.063	.065	.067	.069	.071	.075	.081
2-4	(51-1													
4-6	(102-1													
6-8	(152-2	351		355										
8-10	(203-	451		455		459	461	463	465	467		471	475	481
10-12	(254-305)	551	553	555	557		561		565	567		571	575	
12-14	(305-356)	651		655	657	659	661	663	665	667	669	671	675	
14-16	(356-406)	751	753	755			761			767		771		
16-18	(406-XXX)	851		855			861	863		867				
18-20	(457-508)													
FLOW RATE (GPM)		2.79	3.05	3.25	3.49	3.74	4.0	4.26	4.53	4.82	5.11	5.41	6.04	7.04
FLOW RATE (LPM)		10.57	11.41	12.29	13.20	14.14	15.12	16.13	17.17	18.24	19.34	20.48	22.85	26.66

TIP GASKETS AND SEAL KITS

Compatible with most fluids; easy installation without tools.

PART #	DESCRIPTION
246453	RAC X OneSeal – 5 pack. Use only with RAC X SwitchTip and Guard
243281	RAC 5 OneSeal – 5 pack. Use only with RAC 5 SwitchTip and Guard
248936	RAC X Solvent Seal Kit – 5 pack. Use with RAC X SwitchTip and Guard
17P502	RAC X FF LP Solvent Seal Kit – 5 pack. For use with RAC X FF LP SwitchTip and Guard
183616	SEAL IN AAM TIPS OR REMOVING BLUE FILTER

AAM Air - Assisted Spray Tip Selection Chart

Fine Finish Tips recommended for high finish quality at low and medium pressures Order Desired Tip (part no. AAMXXX)

	*FLUID OUTPUT, LPM		MAXIMUM PATTERN WIDTH AT 300 MM(12IN)								
OrificeSize mm (in)	at 41 bar (4.1 MPa, 600 psi)	at 70 bar (7.0 MPa, 1000 psi)	100 (2 to 4)	150 (4 to 6)	200 (6 to 8)	250 (8 to 10)	300 (10 to 12)	350 (12 to 14)	400 (14 to 16)	450 (16 to 18)	500 (18 to 20)
0.178 (0.007)	0.1	0.15	107	207	307						
0.229 (0.009)	0.2	0.27	109	209	309	409	509				
0.279 (0.011)	0.3	0.4	111	211	311	411	511	611			
0.330 (0.013)	0.4	0.5		213	313	413	513	613	713		
0.381 (0.015)	0.5	0.7		215	315	415	515	615		815	
0.432 (0.017)	0.7	0.85		217	317	417	517	617		817	917
0.483 (0.019)	0.8	1.09		219	319	419	519	619		819	919
0.533 (0.021)	1.0	1.36			321	421	521	621		821	921
0.584 (0.023)	1.2	1.56				423	523	623			923
0.635 (0.025)	1.5	1.94				425		625		825	
0.686 (0.027)	1.7	2.27					527	627		827	
0.737 (0.029)	1.9	2.65						629			
0.787 (0.031)	2.2	3.03				431		631			
0.838 (0.033)	2.5	3.42						633		833	
0.889 (0.035)	2.8	3.81				435					
0.940 (0.037)	3.1	4.20							737		
0.991 (0.039)	3.4	4.59					539	639		839	

AAF - Fine Finish Pre-Orifice Spray Tips Selection Chart

Orifice Size mm (in)	*Fluid Output, fl lpm (oz/min) at 41 bar (4.1 MPa, 600 psi)	at 70 bar (7.0 MPa, 1000 psi)	Maximum Pattern Width at 305 mm (12 in) 150 (4 to 6)	200 (6 to 8)	250 (8 to 10)	300 (10 to 12)	350 (12 to 14)	400 (14 to 16)
0.228 (0.009)	0.20 (7.0)	0.25 (8.5)	208	308	408			
0.279 (0.011)	0.28 (9.5)	0.37 (12.5)	210	310	410	510	610	710
0.330 (0.013)	0.35 (12.0)	0.47 (16.0)	212	312	412	512	612	712
0.381 (0.015)	0.47 (16.0)	0.62 (21.0)			414	514	614	714
0.432 (0.017)	0.59 (20.0)	0.78 (26.5)			416	516	616	716

*Tips are tested in water

CLEANING TIPS - Tips Selection Chart

805XXX

QD WASHER TIPS

Orifice	FAN ANGLE 0°	15°	25°	40°	SET OF 4 TIPS (0°-15°- 25°- 40°)
2.7	805591	805592	805593	805594	-
3.0	805535	805536	805537	805538	244768
3.5	805539	805540	805541	805542	244769
3.7	805595	805596	805597	805598	-
4.0	805543	805544	805545	805546	800708
4.5	805547	805548	805549	805550	800709
5.0	805551	805552	805553	805554	800710
5.5	805555	805556	805557	805558	-
				Chemical Tip	805539

198012	ROTATING PRESSURE WASHER TIP MAX WORKING PRESSURE - 4000 PSI
198014	ROTATING PRESSURE WASHER TIP MAX WORKING PRESSURE - 5000 PSI
198013	OSCILLATING PRESSURE WASHER TIP MAX WORKING PRESSURE- 4000 PSI

WARRANTY

We Build It. We Back It. PERIOD.

We stand behind every piece of equipment we manufacture with one of the industry's strongest warranties. Spray with the confidence that you will probably never need to use Graco's warranty…but if you do we will be there.

Use of Non-Graco Repair Parts.
Graco parts are designed to very specific standards and use of non-Graco repair parts may void your warranty.

LIFETIME Warranty	Coverage against defects on motors for brushless units.
3-YEAR Warranty	Coverage against defects in materials and workmanship on the entire sprayer to the original purchaser. Does not include wear parts.
1-YEAR Warranty	Coverage against defects in materials and workmanship on the entire sprayer to the original purchaser. Does not include wear parts.
Gas Engine and DEWALT® Warranty	Warranty and service supplied by manufacturer.
CONVENIENT Service	Graco customers can rely on a vast network of authorized distributors, go on www.graco.com to find the closest one to you.

PRODUCT	WARRANTY COVERAGE*
390™ PC, Ultra® PC, Ultra® Max II PC Pro, Ultra Max II Standard/ProContractor/IronMan Series Electric Airless Sprayers	3-Year Warranty
GMAX™ and GMAX™ II Standard/ProContractor/IronMan Series Gas-Powered Airless Sprayers	3-Year Warranty, 3-Year Honda® Engine Warranty
GH™ Gas-Powered Airless Sprayers	3-Year Warranty, 3-Year Honda Engine Warranty
LineLazer® Striping Equipment / Ride-On Striper / ES 1000 / ES 2000	3-Year Warranty, 3-Year Honda Engine Warranty
LineDriver® and LineDriver ES	3-Year Warranty, 3-Year Honda Engine Warranty
FieldLazer™ S90, S100	1-Year Warranty, 1-Year Honda GX35 Engine Warranty
GrindLazer® Line Removal Equipment and LazerVac	1-Year Warranty, 3-Year Honda Engine Warranty, 3-Year Vanguard Engine Warranty
RoadPak™	1-Year Warranty, 3-Year Honda Engine Warranty, 3-Year Vanguard Engine Warranty
ThermoLazer® Striping Equipment	1-Year Warranty
FinishPro II Air Assisted Airless	3-Year Warranty
FinishPro GX19	1-Year Warranty
FinishPro HVLP Fine Finish Sprayers	3-Year Warranty
G-Force™ II Pressure Washers	1-Year Warranty, 5-Year General Pump Warranty, 5-Year AR Pump Warranty, 5-Year CAT Pump Warranty, 3-Year Honda Engine Warranty, 3-Year Kohler Engine Warranty
TexSpray™ Mark IV/Mark V™/Mark X™/Mark X 240™, TexSpray Mark IV/V/X Standard/ProContractor/IronMan Series, TexSpray 5900/7900 HD, TexSpray HTX 2030	3-Year Warranty, 3-Year Honda Engine Warranty on 5900 HD/7900 HD
TexSpray RTX™, GTX, FastFinish Spray System, T-Max, FastFinish Pressure Boosted Gun	3-Year Warranty
Handheld Sprayers, AC (Electric)	1-Year Warranty
Handheld Sprayers, Battery	1-Year Warranty, 3-Year Battery and Charger Warranty provided by DEWALT
Magnum®, GX, Electric Sprayers	1-Year Warranty
Accessories (tips, guns, hoses, extensions)	1-Year Warranty
SaniSpray HP	1-Year Warranty

*This warranty is specially used in ANZ

*The information has been simplified in order to communicate the warranty coverage on all Graco product lines mentioned above. Some limitations exist. DEWALT® and the DEWALT Logo are trademarks of DEWALT Industrial Tool Co. and are used under license. All trademarks are the property of their respective owners. For complete warranty coverage information please contact an authorized
Graco distributor or visit www.graco.com/contractor.

TERMS & CONDITIONS

NOTES

1. The Suggested Trade Prices in the AUSTRALIAN Trade Price List INCLUDE Goods & Services Tax (GST) of 10%; the Suggested Trade Prices in the NEW ZEALAND Trade Price List EXCLUDE Goods & Services Tax (GST), and are a recommendation only of a sale price to an end user customer. Relevant Distributor Terms & Conditions will apply. These may include Freight & Delivery Terms, Distributor Discounts, Terms of Payment, Credit Conditions, Title of Goods, Return Policies, etc. Please check with your Graco Contractor Equipment Distributor / Supplier for such Terms & Conditions where relevant.

2. This Graco Contractor Equipment Trade Price List is subject to change without notice.

3. Graco warrants all equipment manufactured by Graco and bearing its name to be free from defects in material and workmanship on the date of sale by an authorized Graco distributor to the original purchaser for use. With the exception of any special, extended, or limited warranty published by Graco for sale of product in Australia, Graco will, for a period of twelve months from the date of sale, repair or replace any part of the equipment determined by Graco to be defective. FOR FULL GRACO WARRANTY DETAILS, REFER TO GRACO WARRANTY TERMS & CONDITIONS ON PRODUCT INSTRUCTION MANUALS OR REQUEST COPY/CLARIFICATION FROM YOUR GRACO REPRESENTATIVE/DISTRIBUTOR.

4. **Note that Extended Warranties (eg. Lifetime Warranties on 295, 390 & 395 3-Year Warranties, 2-Year Bumper-To-Bumper Warranty & 30 Day Satisfaction Guarantee programs as advertised in some literature) do NOT apply in Australia/ New Zealand.** Please contact Graco Inc. and/or your Graco Distributor representative for clarification of any specific extended warranty programs.

5. **Warranty.** Lifetime Motor Warranty (limited models) - If the motor fails under normal use, we'll replace it under warranty for the original owner for the life of the unit. Applies to units purchased on or after March 1, 2006. Lifetime Drive Warranty - If the Drive Train fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer. Applies to units purchased on or after March 1, 2006.
   Convenient Service - Graco offers authorized distributor locations in Australia / New Zealand for repair and service.

6. Graco Inc. takes no responsibility for errors or omissions from this document.

Note: While we strive to have all pictures & illustrations correct and accurate in some cases the supplied item may vary from the one shown.

ADDITIONAL TERMS & CONDITIONS

1. **Entire Agreeme** - Except as set forth below, the sale of products in this shipment shall be governed solely and exclusively by the terms and conditions set forth or referenced on the face and reverse side hereof. Any objection to these terms and conditions must be communicated by sending a letter or other specific written communication to the attention of the Operations Manager of Graco Australia Pty Ltd at the address set forth on the face hereof. Accepting or paying for any part of this shipment, or failing to object within 14 days of receipt of any part of this shipment shall constitute conclusive evidence of acceptance.

   Except as set forth below, the terms set forth on the face and reverse side hereof hereby cancel and supersede any prior or contemporaneous negotiations, and any additional or different terms set forth on any purchase order, acknowledgment from, or other written or oral communication conveyed to Graco Australia Pty Ltd by the Buyer are hereby expressly rejected.

   Notwithstanding the above, in the event that the buyer is operating under a normal Graco Distributor, EDI, or systems agreement, Graco quotation or CED Policy, any conflicting or supplemental terns and conditions set forth in such formal agreement, quotation or policy shall prevail.

2. **Objection to Purchaser's Ter** - Any term or condition of purchaser's order or other document which is different from, in addition to, or inconsistent with any term or condition of this document is hereby objected to by Graco and cannot be binding or effective against Graco unless accepted in writing form the Operations Manager of Graco Australia Pty Ltd.

3. **Warranty and Disclaimer** - Graco warrants all equipment manufactured by it and bearing its name to be free from defects in material or workmanship on the date of sale by an authorised Graco distributor to the original purchaser for use. As purchaser's sole remedy for breach of this warranty, Graco will, for a period of twelve months from the date of sale, repair or replace any part of the equipment proven defective. This warranty applies only when the equipment is installed, operated and maintained in accordance with Graco's written recommendations. This warranty does not cover, and Graco shall not be liable for, any malfunction, damage or wear caused by faulty installation, misapplication, abrasion, corrosion, inadequate or improper maintenance, negligence, accident, tampering, or substitution of non-Graco component parts. Nor shall Graco be liable for malfunction, damage or wear caused by the incompatibility with Graco equipment or structures, equipment or materials not supplied by Graco, or the improper design, manufacture, installation, operation or maintenance of structures, accessories, equipment or materials not supplied by Graco.

   This warranty is conditioned upon the prepaid return of the equipment claimed to be defective for examination by Graco to verify the claimed defect. If the claimed defect is verified, Graco will repair or replace free of charge any defective parts. The equipment will be returned to the original purchaser transportation prepaid. If inspection of the equipment does not disclose any defect in material or workmanship, repairs will be made at a reasonable charge, which charges may include the costs of parts, labour and transportation.

   The terms of the warranty constitute purchaser's sole and exclusive remedy and are in lieu of any other warranties (express or implied}, including warranty of merchantability or warranty of fitness for a particular purpose, and of any non-contractual liabilities, including product liabilities based on negligence or strict liability. every form of liability for direct, special or consequential damages or loss is expressly excluded and denied. in no case shall graco's liability exceed the amount of the purchase price. any action for

breach of warranty must be brought within two (2) years of the date of sale. graco makes no warranty, and disclaims all implied warranties of merchantability and fitness for a particular purpose, with respect to accessories, equipment, materials or components sold but not manufactured by Graco. These items sold, but not manufactured by Graco (such as electric motors, switches, hoses, etc.), are subject to the warranty, if any, of their manufacturer. Graco will provide purchaser with reasonable assistance in making any claim for breach of these warranties.

4. **Delivery** - Graco shall not be liable for any delay in the production or delivery of any of the products referred to herein if such delay is due to fire, flood, accident, delay in transportation, inability to obtain material, war, embargo, demand or requirement of the Government, labour dispute, and/or any other cause whatsoever beyond the reasonable control of Graco.

5. **Terms of Payment and Prices** - Subject to approval and continuation of approval of credit by Graco Australia Pty Ltd, the terms of payment shall be those determined and set forth in the Graco Australia Pty Ltd Distributor Agreement. In the event Graco Australia Pty Ltd does not approve credit to the purchaser, or if at any time after approval of credit and before delivery, Graco Australia Pty Ltd in its sole judgement, decides that the extension of further credit is unjustified, terms of payment shall be those specified by Graco Australia Pty Ltd, including but not limited to C.O.D. or cash in advance. All payments shall be in legal currency as stated on the invoice. All prices are subject to exception or change without notice. Pricing errors may be corrected at any time.

   Graco Australia Pty Ltd reserves the right to select those qualified distributors to whom it will sell its products for resale.

   Distributor minimum billing is set forth in the Graco Australia Pty Ltd "Freight and Delivery Terms"

6. **Patent Infringement** - Graco agrees to defend purchaser or its customers in any suit brought against them so far as it is based on a claim that any product or part thereof sold by Graco Australia Pty Ltd under this document infringes a patent, but only on the condition that Graco is notified promptly in writing of such claim, is given full authority to conduct such defence including the compromise or settlement of any claim, and provided further that purchaser has not prejudiced such defence by any admissions, statements or conduct. Purchaser further agrees to give Graco at Graco's expense whatever information, cooperation, assistance and authority Graco may reasonably require for such defence. Graco will not assume the defence of purchaser or its customers if the infringement Is alleged to consist either of the use of the product or part in combination with other devices, and/or of the modification or alteration of the product or part, unless Graco shall have specifically recommended such use or modification in its Instruction manuals. Purchaser agrees to hold Graco harmless against any claim, which arises out of Graco's compliance with Purchaser's specifications. In no event will Graco be liable for any special, incidental or consequential damages, loss of profits, or loss of revenue resulting from any infringement or alleged infringement The foregoing states the entire liability of Graco for patent infringement.

7. **Order Cancellation Fee** - Orders cancelled prior to shipment there Is no fee: If a special order/custom or a modified product is cancelled before shipment from point of origin then 25% cancellation fee is applicable, if cancelled after shipment from point of origin then 50% cancellation fee applies. Irrespective of reason for cancellation normal Inventory and RGA rules apply

FREIGHT AND DELIVERY TERMS

1. Prices, Discount Codes, Family Group Codes and Minimum Invoice Value are subject to change without notice. Graco Australia Ply Ltd reserves this right and will endeavour to give Distributors as much notice as possible, prior to any changes.

2. **Orders below $200.00 AUD will Incur a minimum order fee of $16.50 AUD inclusive of GST. The applicable transportation will also be invoiced to the Distributor. The mode of transport shall be nominated by Graco Australia Pty Ltd.**

3. The use of Non-Graco appointed carriers or airfreight requested by Distributors will be invoiced to the Distributors account irrespective of the order value.

4. Back orders are not subject to any delivery charge and will be: Carriage Paid To buyer's destination within Australia.

5. Cancellation of Orders are subject to a Cancellation Fee, see "Additional Terms and Conditions of Sale" in the Graco Australia Pty Ltd "Policy and Procedure Manual"

6. Title Transfer and Risk Transfer are FCA Shipping point, 448 Boundary Road, Derrimut, Victoria, 3030, Australia. (Inco Term 2000 FCA).

7. Graco strives to ship all orders within 48 hours. If you have need for an emergency shipment and your order is received before 1.00 p.m. Australian Eastern Standard Time, you may request same day shipment, subject to stock availability and Credit approval.

8. The Distributor shall not be relieved by any obligation, to accept or pay for goods and services provided by Graco Australia Pty Ltd by reason of any delay in delivery, or dispatch of goods.

9. Quoted delivery times and quoted delivery charges are estimates only by Graco Australia Pty Ltd.

10. Graco Australia Pty Ltd shall not be liable for any loss or dam arising as a result or consequence of any failure to deliver or for delay in delivery.

11. Returns will not be accepted on configured or low demand produ built to Distributor Order. Any goods accepted by Graco Australia Pty Ltd for return must be freight prepaid.

QUICK REFERENCE CHART

Small Electric Airless Sprayers - Current Models

Part No.	Description	Max Tip Size	Parts Manual	Inlet Strainer	Manifold Filter	Prime Valve	Fluid Pump	Pump Manual	Pump Repair Kit
17C384	190 PC Express	0.019"	334567	246385	N/A	17C488	239914	334599	18B260
17C386	390 PC Stand 390	0.021"	334567	246385	246384	17C488	239914	334599	18B260
17C387	PC Lo-Boy 390 PC	0.021"	334567	246385	246384	17C488	239914	334599	18B260
17C388	Hi-Boy 395 PC	0.021"	334567	246385	246384	17C488	239914	334599	18B260
17E881	PRO Stand	0.23"	3A6519	246385	246384	17C488	239914	334599	18B260

Small Electric Airless Sprayers - Previous Models

24U104	390S Stand	0.021"	332760	246385	246384	235014	17C720	309250	18B260
24U106	390S Lo-Boy	0.021"	332760	246385	246384	235014	17C720	309250	18B260
24U107	390S Hi-Boy	0.021"	332760	246385	246384	235014	17C720	309250	18B260
254998	390 Stand	0.021"	332760	246385	246384	235014	17C720	309250	18B260
17C392	395 PC Stand	0.021"	332760	246385	246384	235014	17C488	334599	18B260

Midsize Electric Airless Sprayers - Current Models

17E887	Ultra Max II 490 PC Pro Std	0.023"	3A6491	246385	246384	239914	17C488	334599	18B260
17E889	Ultra Max II 495 PC Pro Std	0.025"	3A6491	246385	246384	239914	17C488	334599	18B260
17E891	Ultra Max II 495 PC Pro Lo-Boy	0.025"	3A6491	246385	246384	239914	17C488	334599	18B260
17E892	Ultra Max II 495 PC Pro Hi-Boy	0.025"	3A6491	246385	246384	239914	17C488	334599	18B260
17E897	Ultra Max II 595 PC Pro Lo-Boy	0.027"	3A6491	246385	246384	239914	17C488	334599	18B260
17E896	Ultra Max II 595 PC Pro Hi-Boy	0.027"	3A6491	246385	246384	239914	17C488	334599	18B260
26C979	Ultra Max II 650 PC Pro Lo-Boy	0.029	3A6491	189920	246384	239914	19Y298	334599	18B260
19Y424	Ultra Max II 650 PC Pro Hi-Boy	0.029	3A6491	189920	246384	239914	19Y298	334599	18B260

Midsize Electric Airless Sprayers - Previous Models

17C395	Ultra Max II PC Pro 490 Stand	0.023"	334530	246385	246384	239914	17C488	334599	18B260
249932	Ultra Max II 490 Stand	0.023"	309707	246385	246384	239914	17C720	309250	18B260
17C398	Ultra Max II 495 PC Pro Stand	0.025"	334530	246385	246384	239914	17C488	334599	18B260
17C401	Ultra Max II 495 PC Pro Lo-Boy	0.025"	334530	246385	246384	239914	17C488	334599	18B260
17C402	Ultra Max II 495 PC Pro Hi-Boy	0.025"	334530	246385	246384	239914	17C488	334599	18B260
249933	Ultra Max II 495 Stand	0.025"	309707	246385	246384	239914	17C720	309250	18B260
253104	Ultra Max II 495 Lo-Boy	0.025"	309707	246385	246384	239914	17C720	309250	18B260
253105	Ultra Max II 495 Hi-Boy	0.025"	309707	246385	246384	239914	17C720	309250	18B260
17C404	Ultra Max II 595 PC Pro Lo-Boy	0.027"	334530	246385	246384	239914	17C488	334599	18B260
17C403	Ultra Max II 595 PC Pro Hi-Boy	0.027"	334530	246385	246384	239914	17C488	334599	18B260
253107	Ultra Max II 595 Lo-Boy	0.027"	309707	246385	246384	239914	17C720	309250	18B260
249934	Ultra Max II 595 Hi-Boy	0.027"	309707	246385	246384	239914	17C720	309250	18B260

Large Electric Airless Sprayers - Current Models

17E610	Ultra Max II 695 STD Lo-Boy	0.031"	3A6342	189920	244067	24B156	16Y598	333028	248212
17E613	Ultra Max II 695 STD Hi-Boy	0.031"	3A6342	189920	244067	24B156	16Y598	333028	248212
17E614	Ultra Max II 695 ProContractor	0.031"	3A6342	15V571	244067	24B156	17H823	3A6583	248212
17E616	Ultra Max 795 STD Lo-Boy	0.033"	3A6342	189920	244067	24B156	16Y598	333028	248212
17E617	Ultra Max 795 STD Hi-Boy Ultra	0.033"	3A6342	189920	244067	24B156	16Y598	333028	248212
17E619	Max II 795 ProContractor Ultra	0.033"	3A6342	15V571	244067	24B156	17H823	3A6583	248212
17E620	Max II 1095 STD Hi-Boy Ultra	0.035"	3A6342	189920	244067	24B156	16Y706	333028	248213
17E621	Max II 1095 ProContractor Ultra	0.035"	3A6342	15V573	244067	25B156	17H824	3A6583	17K162
17E623	Max II 1095 Ironman	0.035"	3A6342	15V573	244067	25B156	17H826	3A6583	17K162

QuikPak	Rod	Cylinder	Sleeve	Intake Seat Kit	Piston Valve	Spray Gun	Gun Manual	Gun Filter	Gun Repair Kit
N/A	24W617	24W619	N/A	246429	239937	246506	312830	288749	288817
N/A	24W617	24W619	N/A	246429	239937	246506	312830	288749	288817
N/A	24W617	24W619	N/A	246429	239937	288430	311861	287032	288488
N/A	24W617	24W619	N/A	246429	239937	17Y044	3A6285	287032	17Y297
N/A	24W617	24W619	N/A	246429	239937	246506	312830	288749	288817
N/A	249125	243176	N/A	246429	239937	288430	311861	287032	288488
N/A	249125	243176	N/A	246429	239937	288430	311861	287032	288488
N/A	249125	243176	N/A	246429	239937	288430	311861	287032	288488
N/A	249125	243176	N/A	246429	239937	288430	311861	287032	288488
N/A	249125	243176	N/A	246429	239937	288430	311861	287032	288488
N/A	24W617	24W619	N/A	246429	239937	17Y044	28703	287032	17Y097
N/A	24W617	24W619	N/A	246429	239937	17Y044	28703	287032	17Y097
N/A	24W617	24W619	N/A	246429	239937	17Y044	28703	287032	17Y097
N/A	24W617	24W619	N/A	246429	239937	17Y044	28703	287032	17Y097
N/A	24W617	24W619	N/A	246429	239937	17Y044	28703	287032	17Y097
N/A	24W617	24W619	N/A	246429	239937	17Y044	28703	287032	17Y097
N/A	19Y268	19Y267	19Y269	239922	239937	17Y044	28703	287032	17Y097
N/A	19Y268	19Y267	19Y269	239922	239937	17Y044	28703	287032	17Y097
N/A	24W617	24W619	N/A	246429	239937	288420	311861	287032	288488
N/A	249125	243176	N/A	246429	239937	288420	311861	287032	288488
N/A	24W617	24W619	N/A	246429	239937	288420	311861	287032	288488
N/A	24W617	24W619	N/A	246429	239937	288420	311861	287032	288488
N/A	24W617	24W619	N/A	246429	239937	288420	311861	287032	288488
N/A	249125	243176	N/A	246429	239937	288420	311861	287032	288488
N/A	249125	243176	N/A	246429	239937	288420	311861	287032	288488
N/A	249125	243176	N/A	246429	239937	288420	311861	287032	288488
N/A	24W617	24W619	N/A	246429	239937	288420	311861	287032	288488
N/A	24W617	24W619	N/A	246429	239937	288420	311861	287032	288488
N/A	249125	243176	N/A	246429	239937	288420	311861	287032	288488
N/A	249125	243176	N/A	246429	239937	288420	311861	287032	288488
17H838	248206	17A030	248209	239922	287877	17Y044	3A6285	287032	17Y297
17H838	248206	17A030	248209	239922	287877	17Y044	3A6285	287032	17Y297
17H841	17H876	17H865	17H864	239922	287877	17Y044	3A6285	287032	17Y297
17H838	248206	17A030	248209	239922	287877	17Y044	3A6285	287032	17Y297
17H838	248206	17A030	248209	239922	287877	17Y044	3A6285	287032	17Y297
17H841	17H876	17H865	17H864	239922	287877	17Y044	3A6285	287032	17Y297
17H839	248207	243347	248210	244199	24U993	17Y044	3A6285	287032	17Y297
17H843	17H877	17H866	254031	244199	24U993	17Y044	3A6285	287032	17Y297
17H843	17H879	17H866	254031	244199	24U993	17Y044	3A6285	287032	17Y297

Large Electric Airless Sprayers - Previous Models

Part No.	Description	Max Tip Size	Parts Manual	Inlet Strainer	Manifold Filter	Prime Valve	Fluid Pump	Pump Manual	Pump Repair Kit
16X812	Ultra Max II 695 STD Lo-Boy	0.031"	333281	189920	244067	24B156	16Y598	333028	248212
16X660	Ultra Max II 695 STD Hi-Boy	0.031"	333281	189920	244067	24B156	16Y598	333028	248212
16X813	Ultra Max II 795 STD Lo-Boy	0.033"	333281	189920	244067	24B156	16Y598	333028	248212
16X870	Ultra Max II 795 STD Hi-Boy	0.033"	333281	189920	244067	24B156	16Y598	333028	248212
16X881	Ultra Max II 1095 STD	0.035"	333281	189920	244067	24B156	17Y706	333028	248213
16Y639	Ultra Max II 695 Pro Contractor	0.031"	333281	189920	244067	24B156	16X414	332922	248212
16Y895	Ultra Max II 795 Pro Contractor	0.033"	333281	189920	244067	24B156	16X414	332922	248212
16Y832	Ultra Max II 1095 Pro Contractor	0.035"	333281	189920	244067	24B156	16X419	332922	248213
16Y871	Ultra Max II 1095 Ironman Ultra	0.035"	333281	189920	244067	24B156	16X420	332922	248213
258874	Max II 695 STD Lo-Boy Ultra	0.031"	3A0158	189920	244067	24B156	248204	310643	248212
258876	Max II 695 STD Hi-Boy Ultra	0.031"	3A0158	189920	244067	24B156	248204	310643	248212
258879	Max II 795 STD Lo-Boy Ultra	0.033"	3A0158	189920	244067	24B156	248204	310643	248212
258881	Max II 795 STD Hi-Boy	0.033"	3A0158	189920	244067	24B156	248204	310643	248212
258884	Ultra Max II 1095 STD Hi-Boy	0.035"	3A0158	189920	244067	24B156	287513	310894	248213
258877	Ultra Max II 695 Premium Hi-Boy	0.031"	3A0158	189920	244067	24B156	248204	310643	248212
258882	Ultra Max II 795 Premium Hi-Boy	0.033"	3A0158	189920	244067	24B156	248204	310643	248212
258886	Ultra Max II 1095 Premium Hi-Boy	0.035"	3A0158	189920	244067	24B156	287513	310894	248213

Air Assisted Sprayers - Current Models

17C321	Finish Pro II 395 PC	0.023"	334730	246385	246384	239914	17C488	17C488	18B260
17E915	Finish Pro II 595 PC Pro	0.027"	3A6564	246385	246384	239914	17C488	17C488	18B260

Air Assisted Sprayers - Previous Models

17C357	Finish Pro II 595 PC Pro	0.027"	334598	246385	246384	235014	17C488	309250	18B260
24U071	Finish Pro II 395	0.023"	333154	246385	246384	235014	17C720	309250	18B260
24U074	Finish Pro II 595	0.027"	333154	246385	246384	235014	17C720	309250	18B260

Petrol - Current Models

17E825	GMAX 3400	0.027"	3A6417	246384	244067	235014	17C720	309250	18B260
17E826	GMAX 3900 II STD Lo-Boy	0.036"	3A6417	189920	244067	257352	16X414	332922	248212
17E827	GMAX 3900 II STD Hi-Boy	0.036"	3A6417	189920	244067	257352	16Y598	333028	248212
17E828	GMAX 3900 II Pro Contractor	0.036"	3A6417	15V573	244067	257352	17H823	3A6583	248212
17E829	GMAX II 5900 STD Lo-Boy	0.043"	3A6417	189920	244067	257352	16X419	332922	248213
17E831	GMAX II 5900 STD Hi-Boy	0.043"	3A6417	189920	244067	257352	17Y706	333028	248213
17E832	GMAX II 5900 Pro Contractor	0.043"	3A6417	15V573	244067	257352	17H824	3A6583	17K162
17E833	GMAX II 5900 Ironman	0.043"	3A6417	15V573	244067	257352	17H826	3A6583	17K162
17E834	GMAX II 7900 STD Lo-Boy	0.048"	3A6417	189920	244067	257352	17H825	3A6583	249123
17E836	GMAX II 7900 STD Hi-Boy	0.048"	3A6417	189920	244067	257352	16X423	3A6584	249123
17E837	GMAX II 7900 Pro Contractor	0.048"	3A6417	15V573	244067	257352	17H825	3A6583	249123
17E838	GMAX II 7900 Ironman	0.048"	3A6417	15V573	244067	257352	17H827	3A6583	249123
24W923	GH 130	0.037"	334558	189920	244067	235014	24B748	311845	288471
24W925	GH 200 STD	0.047"	334558	189920	244067	245103	24W995	334654	17D601
24W927	GH 200 Pro Contractor	0.047"	334558	248472	244067	245103	24W996	334654	287813
24W929	GH 230 STD	0.053"	334558	189920	244067	245103	24W997	334654	17D601
24W932	GH 230 Pro Contractor	0.053"	334558	248472	244067	245103	24W998	334654	287813
24W935	GH 300 STD	0.057"	334558	189920	244067	245103	24W997	334654	17D601
24W936	GH 300 Pro Contractor	0.057"	334558	248472	244067	245103	24W998	334654	287813

QuikPak	Rod	Cylinder	Sleeve	Intake Seat Kit	Piston Valve	Spray Gun	Gun Manual	Gun Filter	Gun Repair Kit
17H838	248206	17A030	248209	239922	287877	288420	311861	287032	288488
17H838	248206	17A030	248209	239922	287877	288420	311861	287032	288488
17H838	248206	17A030	248209	239922	287877	288420	311861	287032	288488
17H838	248206	17A030	248209	239922	287877	288420	311861	287032	288488
17H839	248207	243347	248210	244199	24U993	288420	311861	287032	288488
17H838	16X434	16X450	248209	239922	287877	288420	311861	287032	288488
17H838	16X434	16X450	248209	239922	287877	288420	311861	287032	288488
17H839	16X435	16X451	248210	239922	287877	288420	311861	287032	288488
17H839	16X436	16X452	257031	244199	24U993	288420	311861	287032	288488
17H838	248206	243346	248209	239922	287877	288420	311861	287032	288488
17H838	248206	243346	248209	239922	287877	288420	311861	287032	288488
17H838	248206	243346	248209	239922	287877	288420	311861	287032	288488
17H838	248206	243346	248209	239922	287877	288420	311861	287032	288488
17H839	248207	287552	248210	244199	24U993	288420	311861	287032	288488
17H838	248206	243346	248209	239922	287877	288420	311861	287032	288488
17H838	248206	243346	248209	239922	287877	288420	311861	287032	288488
17H839	248207	287552	248210	244199	24U993	288420	311861	287032	288488
N/A	24W617	24W619	N/A	246429	239937	262929	333182	224453	255160
N/A	24W617	24W619	N/A	246429	239937	262929	333182	224453	255160
N/A	249125	243176	N/A	246429	239937	262929	333182	224453	255160
N/A	249125	243176	N/A	246429	239937	262929	333182	224453	255160
N/A	249125	243176	N/A	246429	239937	262929	333182	224453	255160
N/A	24W617	24W619	N/A	246429	239937	17Y044	3A6285	287032	17Y297
17H838	16X434	16X450	248209	239922	287877	17Y044	3A6285	287032	17Y297
17H838	248206	17A030	248209	239922	287877	17Y044	3A6285	287032	17Y297
17H841	17H876	17H865	17H864	239922	287877	17Y044	3A6285	287032	17Y297
17H839	16X435	16X451	248210	239922	287877	17Y044	3A6285	287032	17Y297
17H839	248207	243347	248210	244199	24U993	17Y044	3A6285	287032	17Y297
17H843	17H877	17H866	254031	244199	24U993	17Y044	3A6285	287032	17Y297
17H843	17H879	17H866	254031	244199	24U993	17Y044	3A6285	287032	17Y297
17H840	17H878	17H867	249121	240918	249177	17Y044	3A6285	287032	17Y297
17H840	249119	16X454	249121	240918	249177	17Y044	3A6285	287032	17Y297
17H840	17H878	17H867	249121	240918	249177	17Y044	3A6285	287032	17Y297
17H844	17H880	17H869	249121	17H889	249177	17Y044	3A6285	287032	17Y297
N/A	288479	288727	248210	244199	24U993	288420	311861	287032	288488
N/A	249000	245413	248979	240918	249177	288420	311861	287032	288488
N/A	288469	17D122	249121	240918	287388	246240	311254	N/A	235474
N/A	249001	249532	248980	240918	240580	246240	311254	N/A	235474
N/A	288470	17D123	287817	240918	287388	246240	311254	N/A	235474
N/A	249001	249532	248980	240918	240580	246240	311254	N/A	235474
N/A	288470	17D123	287817	240918	287388	246240	311254	N/A	235474

Petrol - Previous Models

Part No.	Description	Max Tip Size	Parts Manual	Inlet Strainer	Manifold Filter	Prime Valve	Fluid Pump	Pump Manual	Pump Repair Kit
16W863	GMAX 3400	0.027"	332921	246385	244067	235014	17C720	309250	18B260
16W865	GMAX II 3900 STD Hi-Boy	0.036"	332921	189920	244067	257352	16Y598	333028	248212
16W866	GMAX II 3900 STD Lo-Boy	0.036"	332921	189920	244067	257352	16X414	332922	248212
16W867	GMAX II 3900 Pro Contractor	0.036"	332921	189920	244067	257352	16X414	332922	248212
16W869	GMAX II 5900 STD Hi-Boy	0.043"	332921	189920	244067	257352	17Y706	333028	248213
16W870	GMAX II 5900 STD Lo-Boy	0.043"	332921	189920	244067	257352	16X419	332922	248213
16W871	GMAX II 5900 Pro Contractor	0.043"	332921	189920	244067	257352	16X419	332922	248213
16W881	GMAX II 5900 Ironman	0.043"	332921	15V573	244067	257352	16X420	332922	17K162
16W883	GMAX II 7900 STD Hi-Boy	0.048"	332921	189920	244067	257352	16X423	3A6584	249123
16W884	GMAX II 7900 STD Lo-Boy	0.048"	332921	189920	244067	257352	16X426	332922	249123
16W885	GMAX II 7900 Pro Contractor	0.048"	332921	189920	244067	257352	16X426	332922	249123
16W887	GMAX II 7900 Ironman	0.048"	332921	15V573	244067	257352	16X426	332922	249123
253957	GH 130	0.037"	311797	288472	244067	235104	24B748	311845	288471
253962	GH 200	0.047"	311797	288472	244067	245103	288467	311845	287813
253965	GH 230	0.053"	311797	288472	244067	245103	288468	311845	287813
253968	GH 300	0.057"	311797	288472	244067	245103	288468	311845	287813

Line Stripers - Current Models

1 Gun	2 Gun									
25M224	N/A	LineLazer 3400	0.027"	3A4587	246385	243984	239914	17C720	309250	18B260
17H447	17H448	LineLazer 130HS	0.037	3A3391	181072	25A465	245103	24B748	311845	288471
17H449	17H450	LineLazer V 3900 STD	0.035"	3A3389	181072	25A465	245103	277069	310643	248212
17H454	17H455	LineLazer V 5900 STD	0.043"	3A3389	181072	25A465	245103	277070	310643	248213
17H459	17H461	LineLazer 200 HS STD	0.047"	3A3390	187147	25A465	245103	277068	309277	246341
25M228	N/A	LineLazer ES 1000	0.025"	3A4603	187651	244067	245103	17C488	334599	18B260
N/A	25N561	LineLazer ES 2000	0.033"	3A4603	187147	25A465	245103	277069	310643	248212

NB - REPLACEMENT AUSTRALIAN PLUG ADAPTOR TO SUIT ES1000 & ES2000 PART 17R033

Line Stripers - Previous Models

1 Gun	2 Gun									
248861	N/A	LineLazer 3400	0.027"	311019	246385	244067	239914	17C720	309250	18B260
N/A	287025	LineLazer 130 HS STD	0.029"	313776	181072	25A465	245103	24B748	311845	288471
N/A	248863	LineLazer V 3900 STD	0.035"	3A3389	181072	25A465	245103	277069	310643	248212
N/A	248867	LineLazer V 5900 STD	0.043"	3A3389	181072	25A465	245103	277070	310643	248213
N/A	248871	LineLazer V 200 HS STD	0.047"	3A3390	181072	25A465	245103	277068	309277	246341
248862	248863	LineLazer IV 3900	0.035"	311020	181072	244067	245103	277069	310643	248212
248866	248867	LineLazer IV 5900	0.043"	311020	181072	244067	245103	277070	310643	248213
248870	248871	LineLazer IV 200 HS	0.047"	311021	181072	244067	245103	277068	309277	246341

Line Drivers - Current Models

Part No.	Description	Engine Size	Parts Manual	Weight	Operating Speeds	Light Kit	Seat	Battery Kit	Hitch Kit	Wheel Kit
262004	Line Driver	160cc	312540	120Kg	F=16kph/R=10kmph	247896	245341	245343	245321	245340
262005	Line Driver HD	200cc	312540	125Kg	F=16kph/R=10kph	247896	245341	245343	245321	249083
25N556	Line Driver ES	4×6V 225AH Bat	3A6623	281Kg	F=16kph/R=10kph	25N778	245341	N/A	25N787	N/A

NB- WHEN ATTACHING A LINEDRIVER TO LINELAZER UNITS BUILT BEFORE 01/2020, ADDITIONAL PARTS ARE REQUIRED
PART - 287681 LINEDRIVER HITCH BAR X 1
PART - 111194 CAP FLANGE SCREW HD X 1

QuikPak	Rod	Cylinder	Sleeve	Intake Seat Kit	Piston Valve	Spray Gun	Gun Manual	Gun Filter	Gun Repair Kit
N/A	24W617	24W619	248209	246429	239937	288420	311861	287032	288488
17H838	248206	17A030	248209	239922	287877	288420	311861	287032	288488
17H838	16X434	16X450	248209	239922	287877	288420	311861	287032	288488
17H838	16X434	16X450	248209	239922	287877	288420	311861	287032	288488
17H839	248207	243347	248210	244199	24U993	288420	311861	287032	288488
17H839	16X435	16X451	248210	239922	287877	288420	311861	287032	288488
17H839	16X435	16X451	248210	239922	287877	288420	311861	287032	288488
17H843	16X436	16X452	257031	244199	24U993	246240	311254	N/A	235474
17H840	249119	16X454	249121	240918	249177	288420	311861	287032	288488
17H840	16X439	16X455	249121	240918	249177	288420	311861	287032	288488
17H840	16X439	16X455	249121	240918	249177	288420	311861	287032	288488
17H840	16X439	16X455	249121	240918	249177	246240	311254	N/A	235474
N/A	288479	288727	248210	244199	24U993	288420	311861	287032	288488
N/A	288469	288482	249121	240918	249177	288420	311861	287032	288488
N/A	288470	288483	287817	240918	249177	246240	311254	N/A	235474
N/A	288470	288483	287817	240918	249177	246240	311254	N/A	235474

N/A	249125	243176	N/A	246429	239937	248157	311254	N/A	235474
N/A	288479	288727	248210	244199	24U993	248157	311254	N/A	235474
17H838	248206	243346	248209	239922	287877	248157	311254	N/A	235474
17H839	248207	243347	248210	244199	24U993	248157	311254	N/A	235474
N/A	249000	245413	248979	240918	249177	248157	311254	N/A	235474
N/A	24W617	24W619	N/A	246429	239937	248157	311254	N/A	235474
17H838	248206	243346	248209	239922	239932	248157	311254	N/A	235474

N/A	249125	243176	N/A	246429	239937	248157	311254	N/A	235474
N/A	288479	288727	248210	244199	24U993	248157	311254	N/A	235474
17H838	248206	243346	248209	239922	239932	248157	311254	N/A	235474
17H839	248207	243347	248210	244199	24U993	248157	311254	N/A	235474
N/A	249000	245413	248979	240918	249177	248157	311254	N/A	235474
17H838	248206	243346	248209	239922	287877	248157	311254	N/A	235474
17H839	248207	243347	248210	244199	24U993	248157	311254	N/A	235474
N/A	249000	245413	248979	240918	249177	248157	311254	N/A	235474

SERVICE AGENTS
Australia

Company Name	Address	Phone Number
Australian Capital Territory		
Paint place Mitchell	85 Hoskins ST MITCHELL, ACT, 2911	(61) 2 6241 7811
Paint place Phillip	38 botany ST PHILLIP, ACT, 2606	(61) 2 6282 3666
Service bj Johno	ACT mobile	(61) 4 1515 3457
New South Wales		
Access Linemarking Equipment	19/12 Stanton Road, Seven Hills NSW 2147	(61) 1300 627 537
Airless Spray Equipment	19/12 Stanton Road, Seven Hills NSW 2147	(61) 1300 627 537
Coastal Spray (NSW)	3 Kywong Street LAKE CATHIE, NSW, 2445	(61) 2 6585 4735
Colussi Engineering	53 College St GLADESVILLE, NSW, 2111	(61) 2 9817 5433
David Catt Spray Repair	66 Wigmore Drive BATHURST, NSW, 2795	(61) 2 6332 3269
Daynatech	4 Christo Rd GEORGETOWN, NSW, 2298	(61) 2 4960 9400
Inspirations Padstow	40 Fairford Rd, PADSTOW, NSW, 2211	(61) 2 9790 2352
Inspirations Penrith	5-6/109 Batt St, PENRITH, NSW, 2750	(61) 2 4732 5903
Phillro Industries	11 / 33 Nyrang Street LIDCOMBE, NSW, 2141	(61) 2 9648 6955
Supaturf Australia	974 Carcoola Street NORTH ALBURY, NSW, 2640	(61) 2 6040 4808
Far North Coast Spray Solutions	27/502 Ross Lane LENNOX HEAD, NSW, 2478	(61) 4 0288 9944
Inspirations Paint Grafton	103 Pound Street GRAFTON, NSW, 2460	(61) 2 6642 4475
United Tools	350 Manns Road WEST GOSFORD, NSW, 2250	(61) 2 4325 5322
Northern Territory		
David Daly Electronics	2/46 McMinn Street DARWIN, NT, 0800	(61) 8 8981 4400
Palmerston Paint Supplies	15 Mander Road HOLTZE, NT, 0829	(61) 8 8932 7999
Winnellie Hydraulics	120 Reinhardt Road, WINNELLIE, NT 0820	(61) 8 8984 4939
Queensland		
Access Linemarking Equipment	1/17 Alexandra Place, MURRARIE, Qld, 4172	(61) 1300 627 537
Airless Spray Equipment	1/17 Alexandra Place, MURRARIE, Qld, 4172	(61) 7 3390 8199
Airblast Australia	Unit 1/272 Lavarack Ave PINKENBA, QLD, 4008	(61) 7 3260 2670
Airless Spray Services	99 Grendon Street, NORTH MACKAY, QLD, 4740	(61) 4 0728 4759
Airless 2 You	2/16 Kenworth Place BRENDALE, QLD, 4500	(61) 4 0357 3998
Alljack and Paint	3 Iridium Drive PAGET MACKAY, QLD, 4740	(61)7 4998 5299
Inspirations Paint Bundaberg	255A Bourbong St BUNDABERG, QLD, 4670	(61) 7 4152 8244
Inspirations Paint Emerald	5 Hospital Road EMERALD, QLD, 4720	(61) 7 4982 4466
Inspirations Paint Gladstone	54 Yarroon Street GLADSTONE, QLD, 4680	(61) 7 4972 9651
Inspirations Paint Harvey Bay Inspirations	48 Torquay Road PIALBA, QLD, 4655	(61) 7 4124 1100
Paint Kippa-Ring Inspirations Paint North	226 Anzac Avenue KIPPA-RING, QLD, 4021	(61) 7 3283 1233
Rockhampton Inspirations Paint South	61 High Street BERSERKER, QLD, 4701	(61) 7 4924 7200
Rockhampton Inspirations Paint Yeppoon	160 Kent Street ROCKHAMPTON, QLD, 4700	(61) 7 4927 7966
Johnny On the Spot	2 McBean Street YEPPOON, QLD, 4703	(61) 7 4939 1144
Logan Prospray	4/193 Hartley Street PORTSMITH, QLD, 4870	(61) 4 0900 4161
GO Industrial	96 Fourth Ave MARSDEN, QLD, 4132	(61) 7 3803 4276
Paint and Pressure Cleaning Services Paint	2/11-15 Baylink Ave DECEPTION BAY, QLD, 4508	(61) 7 3204 2240
Right Coolum	8/405 Bayswater Road TOWNSVILLE, QLD, 4814	(61) 4 4777 5586
Paint Right Currimundi	127 Greenoaks Drive COOLUM, QLD, 4571	(61) 7 5471 7300
Paint Right Noosa	1 Coora Crescent CURRIMUNDI, QLD, 4551	(61) 7 5437 6220
	168 Eumundi Road NOOSAVILLE, QLD, 4567	(61) 8 5449 8288

Company Name	Address	Phone Number
Paint-n-Colour Toowoomba	361 Taylor Street TOOWOOMBA WEST, QLD, 4350	(61) 7 4637 9100
Phillro Industries	3/15 Overlord Place ACACIA RIDGE, QLD, 4110	(61) 7 3711 9589
Sprayfix	49 Tallai Road TALLAI, QLD, 4213	(61) 4 3968 0686
Spraymec	31 Christine Avenue MIAMI, QLD, 4220	(61) 4 0179 8857
Suncoast Pressure Cleaners	1/6 Textile Ave WARANA, QLD, 4575	(61) 7 5443 1139
Townsville Airless & Pressure Cleaners	Unit 10/547 Woolcock Street MT LOUISA, QLD, 4814	(61) 7 4774 6166
Water Blaster Service & Repair	Unit 254 Hartley Street PORTSMITH, QLD, 4870	(61) 7 4035 5449
Wide Bay Hydraulics	11 Tozer Street GYMPIE, QLD, 4570	(61) 7 5482 4122
Yahoo Spraybooth Services	53 Brentwood Ave MOOLOOLABA, QLD, 4557	(61) 7 5452 6489
South Australia		
Charmans Spray & Powder	6 White Avenue Athol Park ADELAIDE, SA, 5012	(61) 8 8447 7710
Kempe Engineering	369 Commercial St MOUNT GAMBIER, SA, 5290	(61) 8 8725 4770
Oliver Spray Equipment	4 Rosberg Road WINGFIELD, SA, 5013	(61) 8 8262 2466
Pirie Lawnmower & Small Engine	80 Esmond Road PORT PIRIE, SA, 5540	(61) 8 8633 2011
Speedie Spray	37 Richard Street Hindmarsh ADELAIDE, SA, 5007	(61) 8 8346 1653
Tasmania		
Alpha Electrics	Unit 2/144 Don Road DEVONPORT, TAS, 7310	(61) 3 6424 9272
Cole Trading Pty Ltd	4 / 38 Mertonvale Circuit KINGSTON, TAS, 7050	(61) 3 6229 1100
Haymes Paint Shop	210 Murray Street HOBART, TAS, 7000	(61) 3 6231 9900
Hydraquip	17-23 Montague Street INVERMAY, TAS, 7248	(61) 3 6326 6677
Paint Tech	33 Derwent Park Road MOONAH, TAS, 7009	(61) 3 6273 2755
Victoria		
A1 Electric Motors & Pumps	39 Apollo Drive SHEPPARTON, VIC, 3630	(61) 3 5831 7066
A1 Roadlines Pty Ltd	89 Rushdale St KNOXFIELD, VIC,3180	(61) 3 9765 9400
Airblast Australia	18A Southfork Drive BAYSWATER, VIC, 3137	(61) 4 0794 5694
Bylsma Hire	346 Albert Street Sebastopol BALLARAT, VIC, 3356	(61) 3 5335 8397
Crowies Bairnsdale	88B Macleod St BAIRNSDALE, VIC, 3875	(61) 3 5152 4148
Dulux Doncaster	565 Doncaster Road DONCASTER, VIC, 3108	(61) 3 9840 1267
Kerr's Northside Hire	14 Edols Street NORTH GEELONG, VIC, 3215	(61) 3 5278 6011
Paint Spot Knox	380 Burwood Hwy WANTIRNA SOUTH, VIC, 3152	(61) 3 9801 8011
Paint Spot Dandenong	1/37 Princes Hwy DANDENONG SOUTH, VIC, 3175	(61) 3 9793 4599
Phillro Industries	1/265 Wickham Road MOORABBIN, VIC, 3189	(61) 3 8645 2900
Shepparton Paint Place	85 Benalla Road SHEPPARTON, VIC, 3630	(61) 3 5831 2522
Spray Right	13 Thompson Street CAMPBELLFIELD, VIC, 3061	(61) 3 9359 6080
Sprayworld	7 Marriott Street OAKLEIGH, VIC, 3166	(61) 3 9041 4473
Traralgon Paints	29 Stratton Drive, TRARALGON, VIC, 3844	(61) 3 5176 1442
West Spray Airless	Unit 2/46 Buchanan Rd BROOKLYN, VIC, 3012	(61) 3 9943 2203
Western Australia		
Airblast Australia	22 Irvine Street BAYSWATER, WA, 6053	(61) 8 9271 2265
Allspray Equipment	Unit 1/270 Welshpool Rd, Welshpool, WA, 6106	(61) 8 9358 1313
Temco	3 Forge Street WELSH POOL, WA, 6106	(61) 8 9350 5940

New Zealand

Company Name	Address	Town	Phone Number
North Island			
Complete Paints	23 Ford Street,	NAPIER	06 843 1122
Dulux Trade Centre CBD Auckland	60 George Street, Kingsland,	AUCKLAND	09 379 4922
DW Services Ltd	13 Kauri Place,	WHANGAREI	09 438 6956
Energy Hydraulics	19 Corbett Road,	NEW PLYMOUTH	06 755 2400
Equipment Services	Unit 2/789 Te Rapa Rd, Te Rapa,	HAMILTON	07 850 9505
Fabrication and Repairs	94 Pukemapu Road, RD3, OROPI,	TAURANGA	07 543 0401
Finnco Pneumatics Ltd	78/80 PURURU Street,	ROTORUA	07 347 4446
Hogan Spray And Pump	705 Main St,	PALMERSTON NORTH	06 356 5218
Hulena Hydraulics	609 Hastings Street Nth,	HASTINGS	06 878 6646
Hydraulink Taranaki Ltd	22 Hurlstone Drive,	NEW PLYMOUTH	06 757 2211
Industrial Equipment	12-14 Hawkins Street,	WELLINGTON	04 973 3327
Johnsonville Mowers	30 Broderick Road,	WELLINGTON	0274 800 399
Linkup Paints	10 Barberry St, Judea,	TAURANGA	07 571 8921
Niven Air & Hoists Ltd	12 Taonui St,	PALMERSTON NORTH	06 952 0686
Spraytech NZ	1/149 Station Road Penrose	AUCKLAND	09 622 2976
Spraytech NZ	Unit 6/671 Te Rapa Road	HAMILTON	07 849 1329
Syntech	1/55 Whakakake Street	TAURANGA	0800 796 8324
Syntech	12B Saunders Place Avondale	AUCKLAND	0800 796 8324
Syntech c/o Electric Air	7 Lake Road Frankton	HAMILTON	07 260 1177
W A Stroud Ltd	9A Ryan Place, Manukau,	AUCKLAND	09 281 5383
Wanganui Powertool Centre	CNR Ingestre & Wilson Streets,	WANGANUI	06 345 4884
Welco Services Ltd	26 Pioneer Road,	NEW PLYMOUTH	06 751 4990
South Island			
Advanced Maintenance	39 Robinson Street,	ASHBURTON	03 308 5577
Air & Power Industrial	75 Hayes Street,	TIMARU	03 688 0053
Ash Air – Dunedin	600 Kaikorai Valley Road,	DUNEDIN	03 455 4074
Equipment Services	81 Orbell St, Sydenham,	CHRISTCHURCH	03 366 6411
Opel Industries	35 Quarantine Road,	NELSON	03 547 8000
Red Electrical	52 Rob Roy Lane,	WANAKA	021 862 890
Southern Floorcare	194 Clyde Street,	INVERCARGILL	03 218 6931
The ToolShed Timaru	34 North Street,	TIMARU	03 684 7746

Notes

ABOUT GRACO

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATION

AUSTRALIA
Graco Australia Pty Ltd.
Suite 17, 2 Enterprise Drive
Bundoora, Victoria 3083
Australia
Tel: 61 3 9468 8500
Fax: 61 3 9468 8599

NZ Toll Free Number: 0800 472 261

3C0005ENAP-A ©2020 Graco Australia 05/20. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. For more information on Graco's intellectual property, see www.graco.com/patent or www.graco.com/trademarks